








MAN GENUINE ACCESSORIES



CONTENTS

From the roof-mounted air-conditioning system for comfort to the decorative "Fire Lion" film as a visual element – you can find further information on selected MAN Genuine Accessories here.

	New products and preview	5
	New products and planned products.	
	Comfort	11
	Feel better, enjoy more relaxed driving.	
	Safety	31
	Driving safely	
	Infotainment	49
	Better informed, arrive safely	
	Style	67
	More individual, even more original.	
	Driver assistance systems	79
	Support in daily use with intelligent, retrofittable driver assistance systems	
	TGE	89
	Van accessories	

DISCLAIMER

Contents

The content and images on the MAN Genuine Accessories websites are provided for information purposes only. MAN accepts no liability for the information provided being up to date, correct and complete. MAN reserves the right to make engineering design and/or commercial changes at any time within the framework of continuous product maintenance and further development without prior notice. Illustrations may also include special equipment that is not part of the standard scope of delivery.

Availability per country

The availability per country can be found in the country availability matrix in the After Sales Portal.

Application

MAN Genuine Accessories may not be used for purposes other than those specified without written approval. Fitting and application must comply with the regulations of the respective country of use. National rules and regulations must be observed. Due to national or EU laws and regulations, some functions or accessories are not available in all countries. Before use, it is the buyer's responsibility to check whether the accessories are approved and may be used in the respective country in which the vehicle is operated.

Liability for defects

MAN Truck and Bus SE assumes a 24-month liability on MAN Genuine Accessories for material defects in accordance with the MTB Terms and Conditions of Sale and Delivery. Accordingly, liability for defects is excluded in particular in the case of:

- Damage caused by improper transport or fitting by customers or third parties.
- Fault(s) due to incorrect operation or damage by the customer.
- Wear due to excessive use
- Modifications to the accessory

Links to the websites of other providers

Our website may contain links to the websites of other providers. MAN checked any webpages directly linked to its own site at the time the links were created and was satisfied that they were free of legal violations. However, MAN has no influence of any kind on the content of linked webpages and is not able to monitor these on an ongoing basis. Therefore MAN assumes no liability for the content of linked webpages that have been modified after the links were created. This data privacy statement does not apply to the linked webpages of other providers.

Brands

Android is a trademark or registered trademark of Google Inc. Bluetooth™ is a trademark or registered trademark of Bluetooth SIG Inc.

MAN GENUINE ACCESSORIES

Genuine and individual
More information on
the MAN After Sales
Portal



Accessories suitable for the New Truck Generation (trucks of model year 2020 and later) are once again highlighted for you. Please note the following symbol:



MAN Genuine Accessories offers you parts that you can install in your truck or van to give it your personal touch.

MAN Genuine Accessories not only enable personalisation of the workplace, they also enable a company to increase efficiency. The parts ensure a comfortable and safe working environment tailored to your individual needs.

For companies, the operating costs in particular are a relevant factor that can be optimised with MAN Genuine Accessories.

The different variants of the MAN Genuine Accessories are custom-built for the respective vehicle type. The parts are labelled with the designations TGS, TGX, TGM, TGL or TGE if required. This allows you to identify immediately whether the part is available for your requirements.

MAN GENUINE ACCESSORIES

MAN Genuine Accessories – customer benefits at a glance:



Save time and money – Quick and easy to fit because they have been specially developed for your MAN to the highest quality standard.



Lower operating costs – Optimise and simplify correct operation of your MAN.



Save a lot of trouble – Enhance the safety of your MAN on the road with selected accessories.



Improve the appearance and reputation of your company – Stylish products for your MAN that your customers will also like.



More enjoyment behind the wheel – Comfort that will increase driver satisfaction and performance.



Conveniently accessible – Can be ordered as usual from your MAN dealer, just like all MAN Genuine Parts.



New products and planned products.

The range of MAN Genuine Accessories is constantly being revised and expanded to make life easier, more convenient and safer for the driver.

Learn more about the new and upcoming accessories here.

NEW



**ALSO ON
MAN GENUINE
ACCESSORIES**

NEW PRODUCTS

Comfort – available to order from dealers now

Hand coffee maker

Enjoy a cup of coffee when on the road: The mobile coffee maker is connected to the 24 V cigarette lighter and prepares fresh coffee in every cab. It can be used with all commercially available coffee soft pads.



➔ More information on page 12

Seat covers

MAN Genuine seat covers offer the greatest possible comfort thanks to the best fit and first-class "Made in Germany" workmanship.



➔ More information from page 13

Textile floor mats

New floor mats in MAN design: exactly fitting sets made from high-quality velour and needle felt are available with immediate effect.



➔ More information from page 16

NEW PRODUCTS

Safety – available to order from dealers now

Fuel tank guard


The fuel tank guard protects against fuel theft. It effectively locks the tank so that no fuel can be siphoned off.



➔ More information on page 32

Protective screens

Partition screen on the bus as a health protection measure for the driver. For many bus/coach variants. The use of MAN Genuine single-pane safety glass ensures that the driver's area is partitioned off. A convenient cutout makes it easy for the driver to collect fares, issue tickets and change, and check tickets.



➔ More information on page 34

LED revolving beacon

A revolving beacon warns of dangerous situations such as accidents or deployment sites. It ensures maximum own and third-party safety, emitting intensive warning signals by means of optimum light bundling and distribution.



➔ More information on page 35

NEW PRODUCTS

Infotainment and style – available to order from dealers now

CB radio sets

CB radio sets enable wireless communication among truck colleagues. Especially in long-haul transport, drivers can exchange information with colleagues about regional traffic, communicate and receive timely warnings about hazards such as construction sites.



➔ More information on page 50

LED door projector

A special highlight: with MAN LED door projectors, boarding and alighting become unique experiences.



➔ More information on page 68

PREVIEW

Available soon

Rear-view camera system Plus

With the existing rear-view camera system, MAN already offers high-quality camera/monitor systems. The new MAN Genuine rear-view camera system Plus offers another alternative for even better compatibility with the camera systems available on the market.



Video Turn Assist (VTA) – eligible for subsidy

The upcoming MAN Video Turn Assist is a camera- and monitor-based turning assistance system that automatically detects when people around the vehicle are in danger and correspondingly warns the driver with a visual and acoustic signal.

A particular incentive for choosing this product is its eligibility for subsidisation in Germany in accordance with the BMVI guidelines.



Available soon



COMFORT



Feel better, enjoy more relaxed driving.

Truckers spend a lot of time in their work place, and often even some of their free time. Providing the greatest possible comfort is therefore a must. MAN Genuine Accessories offer some useful and practical extras that make driving and breaks more enjoyable. We want to make you as comfortable as possible.

Your comfort is our quality standard.



COMFORT

Hand coffee maker



The MAN Genuine hand coffee maker permits easy and fast coffee preparation in every cab. The coffee maker is simply connected to the 24 V cigarette lighter and can be used with all standard commercially available coffee soft pads. Thanks to easy operation, it is already possible to enjoy fresh coffee after a brewing time of around four minutes. In addition to its simple handling, the coffee maker also stands out thanks to its elegant design matched to the interior fittings of our vehicles.

Properties		
Material: ABS and rubber		Dimensions: 92 x 92 x 220 mm
Colour: Black		Maximum pressure: 2 bar
Weight: 810 g		Brewing time: 4 minutes
24 V DC/140 W		Capacity: 110 ml

Item number	Designation	Suitable for
K3.77620-6000	Hand coffee maker	All TG models with 24 V cigarette lighter

COMFORT

Seat covers



MAN Genuine seat covers offer the greatest possible comfort thanks to the best fit and first-class "Made in Germany" workmanship. High-quality materials guarantee not only easy cleaning and care but also wear resistance and the best possible protection of MAN Genuine seats. It goes without saying that simple and easy fitting was taken into account when developing the covers. The quality is reflected in their pleasing appearance. Choose from three exclusive designs 1 PREMIUM, 2 SPORTIVE and 3 ROBUST.

PREMIUM seat cover

The MAN Genuine seat cover in genuine leather brings luxury and prestige to the cab. In addition to a classic and luxurious design, the premium seat cover is also suitable for air-conditioning seat functions thanks to the micro-perforation in the seat cushion and backrest area. The leather is of the highest quality and particularly easy to clean, hard-wearing and durable.



Item number	Designation	Suitable for
		TGL, TGM, TGS and TGX from MY 2020 with seat ...
K3.62360-6008	Cover, left/right, Premium leather	"Static" with external belt guide
K3.62360-6009	Cover, left, Premium leather	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6010	Cover, right, Premium leather	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6001	Cover, left, Premium leather	"Comfort/LUXURY+" with belt height adjustment
K3.62360-6000	Cover, right, Premium leather	"Comfort/LUXURY+" with belt height adjustment
To follow	Cover, Premium leather	Centre seat with folding function
To follow	Cover, left/right, Premium leather	Vario seat with swivelling and folding function
		TGL, TGM, TGS and TGX up to MY 2019 with seat ...
K3.62360-6019	Cover, left, Premium leather	Isringhausen
K3.62360-6020	Cover, right, Premium leather	Isringhausen
K3.62360-6031	Cover, left, Premium leather	Grammer with integrated belt guide
K3.62360-6032	Cover, right, Premium leather	Grammer with integrated belt guide
K3.62360-6029	Cover, left/right, Premium leather	Grammer without belt guide
K3.62360-6030	Cover, Premium leather	Grammer centre seat

COMFORT

Seat covers



2

SPORTIVE seat cover

The MAN Genuine seat cover in the Sportive variant has an explicitly Sportive look thanks to its particularly dynamic design and contrasting colour inserts. The variant impresses not only with its attractive design, but also in particular through use of the highest quality textiles, which are very easy to clean and are even washable.



Item number	Designation	Suitable for
TGL, TGM, TGS and TGX from MY 2020 with seat ...		
K3.62360-6004	Cover, left/right, Sportive, textile	"Static" with external belt guide
K3.62360-6011	Cover, left, Sportive, textile	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6012	Cover, right, Sportive, textile	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6003	Cover, left, Sportive, textile	"Comfort/LUXURY+" with belt height adjustment
K3.62360-6002	Cover, right, Sportive, textile	"Comfort/LUXURY+" with belt height adjustment
To follow	Cover, Sportive, textile	Centre seat with folding function
To follow	Cover, left/right, Sportive, textile	Vario seat with swivelling and folding function
TGL, TGM, TGS and TGX up to MY 2019 with seat ...		
K3.62360-6015	Cover, left, Sportive, textile	Isringhausen
K3.62360-6016	Cover, right, Sportive, textile	Isringhausen
K3.62360-6023	Cover, left, Sportive, textile	Grammer with integrated belt guide
K3.62360-6024	Cover, right, Sportive, textile	Grammer with integrated belt guide
K3.62360-6021	Cover, left/right, Sportive, textile	Grammer without belt guide
K3.62360-6022	Cover, Sportive, textile	Grammer centre seat

COMFORT

Seat covers



3

ROBUST seat cover

The MAN Genuine seat cover in the Robust variant guarantees a long service life, withstanding continual use in trucks for years thanks to its high level of durability. The design is attractively plain and deliberately universal. The materials used are easy to clean and washable.



Item number	Designation	Suitable for
TGL, TGM, TGS and TGX from MY 2020 with seat ...		
K3.62360-6007	Cover, left/right, Robust, textile	"Static" with external belt guide
K3.62360-6013	Cover, left, Robust, textile	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6014	Cover, right, Robust, textile	"Comfort/LUXURY+" without belt height adjustment
K3.62360-6005	Cover, left, Robust, textile	"Comfort/LUXURY+" with belt height adjustment
K3.62360-6006	Cover, right, Robust, textile	"Comfort/LUXURY+" with belt height adjustment
To follow	Cover, Robust, textile	Centre seat with folding function
To follow	Cover, left/right, Robust, textile	Vario seat with swivelling and folding function
TGL, TGM, TGS and TGX up to MY 2019 with seat ...		
K3.62360-6017	Cover, left, Robust, textile	Isringhausen
K3.62360-6018	Cover, right, Robust, textile	Isringhausen
K3.62360-6027	Cover, left, Robust, textile	Grammer with integrated belt guide
K3.62360-6028	Cover, right, Robust, textile	Grammer with integrated belt guide
K3.62360-6025	Cover, left/right, Robust, textile	Grammer without belt guide
K3.62360-6026	Cover, Robust, textile	Grammer centre seat

COMFORT

Floor mats



Floor mats in MAN design with exact fit and made from high-quality materials protect the footwell from dirt and damage and are easily cleaned.

1

Premium floor mat set (velour)

The MAN velour carpet floor mats are made to fit and are matched to the interior fittings of your truck. The high-quality material with the embroidered MAN Lion creates a particularly elegant accent.

Note:
Set includes driver and co-driver sides



Item number	Designation	Suitable for
K3.62860-6005	Set, Premium Velour, Lion, LHD	TGX from MY 2020
K3.62860-6007	Set, Premium Velour, Lion, RHD	TGX from MY 2020
K3.62860-6001	Set, Premium Velour, Lion, LHD	TGL, TGM and TGS from MY 2020
K3.62860-6003	Set, Premium Velour, Lion, RHD	TGL, TGM and TGS from MY 2020
K3.62860-6009	Set, Premium Velour, Lion, LHD	TGX up to MY 2019
K3.62860-6011	Set, Premium Velour, Lion, RHD	TGX up to MY 2019
K3.62860-6013	Set, Premium Velour, Lion, LHD	TGL, TGM and TGS up to MY 2019
K3.62860-6015	Set, Premium Velour, Lion, RHD	TGL, TGM and TGS up to MY 2019

2

Floor mat set Robust (needle felt)

The particularly hard-wearing MAN needle felt carpet floor mats are made to fit and are matched to the interior fittings of your truck. The high-quality material with the embroidered MAN logo creates a particularly elegant accent.

Note:
Set includes driver and co-driver sides



Item number	Designation	Suitable for
K3.62860-6004	Set, Robust needle felt, MAN, LHD	TGX from MY 2020
K3.62860-6006	Set, Robust needle felt, MAN, RHD	TGX from MY 2020
K3.62860-6000	Set, Robust needle felt, MAN, LHD	TGL, TGM and TGS from MY 2020
K3.62860-6002	Set, Robust needle felt, MAN, RHD	TGL, TGM and TGS from MY 2020
K3.62860-6008	Set, Robust needle felt, MAN, LHD	TGX up to MY 2019
K3.62860-6010	Set, Robust needle felt, MAN, RHD	TGX up to MY 2019
K3.62860-6012	Set, Robust needle felt, MAN, LHD	TGL, TGM and TGS up to MY 2019
K3.62860-6014	Set, Robust needle felt, MAN, RHD	TGL, TGM and TGS up to MY 2019

COMFORT

Floor mats

Rubber floor mats



The high-quality rubber floor mats protect the interior from damage and soiling. They are characterised in particular by being matched to the size of the cab, by their high durability and quick and easy cleaning.

Properties

Material: Rubber
Size: Matched to cab size
Colour: Black

Item number	Designation	Suitable for
81.62861-0139	Mat, front left, R41/L40	TGX up to MY 2019 and TGA
81.62861-0138	Mat, front right, R41/L40	TGX up to MY 2019 and TGA
81.62861-0141	Mat, front left, L10/15/32/37 L17/34/39	TGL, TGM, TGS up to MY 2019 and TGA
81.62861-0140	Mat, front right, L10/15/32/37 L17/34/39	TGL, TGM, TGS up to MY 2019 and TGA
81.62860-0934	Mat, centre, L10/15/32/37	TGL, TGM, TGS up to MY 2019 and TGA

COMFORT

Roof Top Air Conditioner

With MAN Genuine Roof Top Air Conditioner, the truck driver can spend his rest periods recuperating in the cab without having to run the engine for hours consuming large quantities of fuel. Having a rested driver also contributes to increased safety. Thanks to their highly efficient technology, the systems cool quickly and reliably for up to twelve hours with low operating costs. The compact, battery-powered roof-mounted air-conditioning systems for trucks are easy to fit in the existing roof hatch.

Note:

It is recommended that the vehicle be equipped with a 225 Ah battery and the more powerful Longlife Eco alternator. The preset undervoltage protection of the system must not be changed. To avoid deep discharge, we recommend that you start the vehicle after prolonged use of the system before using another current consumer. If the Roof Top Air Conditioner changes the overall height of the vehicle, this must be noted in the vehicle documentation. National regulations take precedence over technically permissible dimensions and weights if they limit the technically permissible dimensions and weights.

Switch off the Roof Top Air Conditioner before tilting the cab for maintenance purposes.
Observe further safety instructions for Roof Top Air Conditioners and washing installations!
Fitting by a MAN service outlet is recommended. Ask your MAN service outlet for detailed information.

With four different versions, there is the right solution for every requirement:

- 1 Roof-mounted air-conditioning system RTX 1000
- 2 Roof-mounted air-conditioning system RTX 2000
- 3 Roof Top Air Conditioner SP950 for roof and rear wall mounting
- 4 Roof Top Air Conditioner Cooltronic G2.5



COMFORT

Roof Top Air Conditioners

Roof-mounted air-conditioning system RTX 1000

The Roof Top Air Conditioner is designed for relaxing rest periods in stationary operation. Thanks to its highly efficient technology, it cools quickly and reliably for up to twelve hours. The compact, battery-powered roof-mounted air-conditioning system for trucks is easy to fit in the existing roof hatch.



Properties

1,200 W cooling output
Highly efficient: only 8 A power consumption in Eco mode
Autonomous, battery-powered roof-mounted parking air-conditioning system
All components integrated into a single roof unit
ADR compliant
MAN-specific assembly kit
Roof Top Air Conditioner suitable for ambient temperatures from 5°C to 52°C
Up to twelve hours of operation with maximum cooling output
Precise temperature control
Boost cooling mode for fast cooling

Item number	Designation	Suitable for
K3.61900-6002	Roof Top Air Conditioner RTX 1000	TGL, TGM, TGS and TGX up to MY 2019 with roof hatch; not for TGX with XLX cab with roof spoiler
U1.61941-6000	Roof Top Air Conditioner assembly kit	

COMFORT

Roof Top Air Conditioners

2

Roof-mounted air-conditioning system RTX 2000

The Roof Top Air Conditioner is designed for relaxing rest periods in stationary operation. Thanks to its highly efficient technology, it cools quickly and reliably for up to six hours and longer. The compact, battery-powered roof-mounted air-conditioning system for trucks is easy to fit in the existing roof hatch.



Properties
2,000 W cooling output
Highly efficient: only 8 A power consumption in Eco mode
Autonomous, battery-powered roof-mounted parking air-conditioning system
All components integrated into a single roof unit
ADR compliant
MAN-specific assembly kit
Roof Top Air Conditioner suitable for ambient temperatures from 5°C to 52°C
Up to six hours of operation with maximum cooling output
Up to twelve hours of operation at Central European temperatures
Precise temperature control
Boost cooling mode for fast cooling

Item number	Designation	Suitable for
K3.61900-6001	Roof Top Air Conditioner RTX 2000	TGL, TGM, TGS and TGX up to MY 2019 with roof hatch; not for TGX with XLX cab with roof spoiler
U1.61941-6000	Roof Top Air Conditioner assembly kit	

COMFORT

Roof Top Air Conditioners

3

Roof Top and Rear Wall Air Conditioner SP950

The Roof Top Air Conditioner is designed for relaxing rest periods in stationary operation. Thanks to its efficient technology, it cools quickly and reliably. The very flat roof unit saves space and hardly influences the overall height of the roof. It is therefore also suitable for TGX vehicles with XLX cab and roof spoiler.



Properties
850 W cooling output
Compressor (on rear wall) and roof evaporator unit (in roof hatch) fitted separately
ADR compliant for all classes except EX/II, EX/III
MAN-specific assembly kit
Roof Top Air Conditioner suitable for ambient temperatures from 5°C to 52°C
Fitting beneath spoiler possible
Assembly using existing attachment points without recess

Item number	Designation	Suitable for
K3.61920-6001	Condenser unit, rear wall, SP950C	TGL, TGM, TGS, TGX up to MY 2019 with roof hatch
K3.61920-6000	Evaporator unit SP950T	
K3.61940-6001	Rear wall frame SP950C for MAN L, LX, and XL cab	
K3.61940-6002	Rear wall frame SP950C for MAN XLX and XXL cab	
K3.61940-6003	Assembly kit SP950T, MAN beige	

Note:
For TGS and TGX models up to MY 2019: In some cases, vehicles for swap bodies may not be suitable for fitting the SP950TC. Check the distance between the rear wall of the cab and the body!

COMFORT

Roof Top Air Conditioners

Roof Top Air Conditioner Cooltronic G2.5

MAN Genuine roof-mounted air-conditioning systems enable relaxing breaks and rest periods in the cab under optimal conditions. They also increase the alertness of the driver, thus ensuring greater safety on the road. The Cooltronic G2.5 systems are self-contained air-conditioning systems with electric compressors and a closed circuit that automatically adjust their cooling output to the lowest possible power consumption.

Thanks to the special two-part design, the roof-mounted air-conditioning system for trucks can be fitted beneath the roof spoiler, making it particularly suitable for MAN TGX vehicles with XLX cab and roof spoiler. The MAN Cooltronic G2.5 can also be used with all other MAN TG vehicles with a roof hatch and no roof spoiler.



Properties	
920 W cooling output	
Digital temperature gauge (in °C and °F)	
with remote control	
Five fan levels	
Dual battery protection	
ADR compliant	
MAN-specific assembly kit	
Two-part design	

Item number	Designation	Suitable for
K3.61900-6003	Roof Top Air Conditioner Cooltronic G2.5 (incl. assembly kit, grey)	TGL, TGM, TGS and TGX up to MY 2019 with roof hatch but no roof spoiler; Also suitable for TGX up to MY 2019 with XLX cab with roof spoiler

COMFORT

Reading light, LED, 12/24 V



With its elegant and dynamic design, the MAN LED reading light blends seamlessly into any vehicle interior. It is very flexible and therefore suitable for illuminating a wide range of areas in the cab. The neck of the lamp has a matt black silicone surface and can be individually aligned. The lamp has an on/off switch so that it can always remain connected.



Properties	
Supply voltage: 12 V and 24 V via cigarette lighter	
Lumen: 20 lm	
Long flex arm: 370 mm	
Weight: 84 g	
Service life: up to 20,000 operating hours	
Soft, non-slip and dirt-resistant surface	

Item number	Designation	Suitable for
K3.25202-6000	Reading light 12/24 V	All TG models, incl. TGE

Reading lamp 24 V



The MAN Genuine reading lamp has a strong spring clip so that it can always be securely attached to book spines, sunblinds or table edges.



Item number	Designation	Suitable for
81.66804-6030	Reading lamp 24 V	All TG models with 24 V cigarette lighter

COMFORT

Cup holder up to model year 2017

The instrument panel is equipped with a cup holder and storage tray; here you can store cups, cans or small bottles securely. The cup holder can be inserted in the storage tray in two different positions.



Properties	
Installation depth: 40 mm	
Matched to instrument panel middle section	
Colour: Anthracite	

Item number	Designation	Suitable for
81.63740-6015	Cup holder	All TGL and TGM from Euro 6 up to MY 2017; All TGS and TGX up to MY 2017

Cup holder from model year 2018 to model year 2019

With the 2018 facelift, all MAN TG vehicles receive new cup holders that can be positioned variably and fixed in place. The wide instrument panel in the TGX offers up to four spaces, while the narrow instrument panel in TGL, TGM and TGS offers space for two cup holders.



Properties	
Installation depth: 40 mm	
Matched to instrument panel middle section	
Colour: Anthracite	

Item number	Designation	Suitable for
81.61701-6691	Cup holder	All TGL, TGM, TGS and TGX from MY 2018 to MY 2019

COMFORT

Ashtray



Ashtray with cigarette holder and a small recess for stubbing out the cigarette. Versatile in use, also as a table-top ashtray outside the vehicle.



Properties	
Height: approx. 127 mm	
Matched to MAN Genuine cup holder	
Colour: Anthracite	

Item number	Designation	Suitable for
81.63740-6039	Ashtray (base dia. approx. 7 cm)	All TG models from MY 2020
81.63740-6038	Ashtray (base dia. approx. 6 cm)	All TG models from MY 2018; All TGE

Folding table

With our MAN folding table, you can create additional space for relaxing eating or working in the cab. The folding mechanism is mounted on the lower bunk. When folded, the table is safely stored in front of the lower bunk.



Item number	Designation	Suitable for
85.63912-1008	Folding table	All TGX up to MY 2019

COMFORT

Window cleaning set




This is where things that belong together are brought together. The wiper with the wipe-dry lip and robust ice scraper provide the necessary visibility in no time, while the telescopic rod permits easy use. Stowing options are adapted to the conditions of the respective cab variant (see overview of assembly parts). Extendable telescopic handle with plug connector for changing between the cleaning head (wiper and wipe-dry lip) and ice scraper.



Properties		
Length: 95 – 150 cm long		
Colour: Grey		

Item number	Designation	Suitable for
09.38064-0131	Ice scraper	All TG models; All TGE
08.00344-9021	Squeegee	
08.00344-9026	Telescopic arm 95-150 cm	

 **Further information**

An overview of additional assembly parts can be found in the following table. All assembly parts for TGL and TGM with DM, FN or NN cab as well as TGS and TGX will be omitted from model year 2020. On these models, the window cleaning set is kept in the storage space.

Item number	Designation	Suitable for
81.63921-5001	Holder	TGL/TGM with C cab up to MY 2019; All TGL/TGM with CC cab
81.63921-5002	Holder	TGM with L and LX cab up to MY 2019
85.66915-2016	Clamp (two required)	All TGL/TGM with crew cab
81.66840-0058	Holder	TGS and TGX all models up to MY 2019 (all three item numbers required)
81.66840-0059	Holder	
06.67123-4419	Hose clamp (two required)	

COMFORT

Compressed-air connection in cab



The MAN Genuine compressed-air connection in the cab enables connection of a MAN Genuine compressed-air gun or MAN Genuine tyre inflation hose.



Properties	
Supply pressure: Approx. 5 – 6 bar	

Item number	Designation	Suitable for
81.98125-6120	Compressed-air connection	All TGL, TGM, TGS and TGX models
81.51715-0376	Holder	
04.35160-9776	Polyamide pipe 6X1	
06.11164-8304	Hex nut M16X1.5	
81.98181-0160	Clamping ring 6	


Compressed-air gun



The MAN Genuine compressed-air gun allows the vehicle interior to be blown out with compressed air for cleaning purposes.



Properties	
Hose length: 250 cm	
Supply pressure: Approx. 5 – 6 bar	

 **Note:**

A compressed-air connection in the cab is required for the compressed-air hose with compressed-air gun. From this point, the driver can reach and clean every part of the cab with the coiled hose and the compressed-air gun.

Item number	Designation	Suitable for
81.66818-6034	Compressed-air gun	All TGL, TGM, TGS and TGX models

COMFORT

Care utensils



Keep the cockpit clean with our useful care utensils. Whether multi-purpose cleaner, special windscreen cleaner or our antifreeze and frost remover – you'll always have your cockpit under control.



Item number	Designation	Suitable for
09.28003-0062	Washer fluid antifreeze, 1 litre	All MAN vehicles
09.28003-0087	Washer fluid antifreeze, 5 litres	
09.28003-0063	All-purpose cleaner, 1 litre	
09.28003-0061	Windscreen cleaner 0.5 litres	

Waste container



Removable and easy-to-clean waste container between the seats

- Increased interior comfort and ease of use thanks to:
- Cleanliness in the interior
 - Waste container also easily accessible from the bed

High quality with closed surfaces made of easy-to-clean and washable material



Item number	Designation	Suitable for
81.66912-6264	Waste container	TGS and TGX up to MY 2019
81.66912-6294	Waste container in storage box	GM, GN and GX cab from MY 2020
81.66912-6295	Waste container in storage box	FN and DM cab from MY 2020

COMFORT

Loop for exterior storage compartment



The loop makes it easier to reach and close the exterior storage compartment flap. Quick and easy assembly



Properties
Total loop length 340 mm

Item number	Designation	Suitable for
81.96805-0001	Loop	All TGL, TGM, TGS and TGX models
06.02253-3004	Bolt	



SAFETY



Driving safely

MAN trucks offer outstanding active and passive safety. Still, it's always best to play things safe with a few extras that can help out in emergencies – or prevent them from occurring in the first place.

With MAN Genuine Accessories, you can be completely sure that everything works and fits together perfectly. Get home safe!



SAFETY

Fuel tank guard



The MAN Genuine fuel tank guard protects the tank against fuel theft. It locks the tank securely so that no fuel can be extracted through the filler opening.

Two variants are available, an internal and external guard, both of which reliably prevent fuel extraction. The external variant is also visible from the outside and has a deterrent effect. Attempted theft is prevented from the outset, thus avoiding damage to the vehicle.

Supplementing this is the anti-spill valve, which prevents fuel leakage in the event of an accident. It can be inserted into both the internal and external guard. The valve is pressed inwards by the tank nozzle.

The right assembly tool ensures quick and easy fitting.



Properties
Version in robust aluminium alloy
150 litres/minute flow rate

Note:
The external variant may not be suitable for certain bodies.

Item number	Designation	Suitable for
K3.12210-6000	External guard	All TGL, TGM, TGS and TGX models
K3.12210-6001	Internal guard	
K3.12240-6001	Anti-spill valve	
K3.12240-6000	Assembly tools	

SAFETY

Filler cap, lockable



High quality and robust: Equip your vehicle with a lockable fuel-tank cap to protect yourself against fuel theft.



Properties
Colour: Black
Ventilated cap with bayonet lock for diesel tanks

Note:
Can be combined with the MAN Genuine fuel tank guard

Item number	Designation	Suitable for
81.12210-6027	Filler cap, lockable	All TGL, TGM, TGS and TGX models; All buses/coaches

AdBlue® filler cap, lockable



Equip your vehicle with a lockable tank cap to protect yourself against AdBlue ® theft.



Properties
Colour: Blue


Item number	Designation	Suitable for
81.15402-6027	AdBlue® filler cap	All TGL, TGM, TGS and TGX models; All buses/coaches

SAFETY

Protective screens

Comprehensive protective measures are a must! Meet your responsibilities and master the current challenges in the best possible way: with MAN Genuine protective screens made from certified MAN Genuine single-pane safety glass. Fitted in next to no time by competent MAN Service staff, they eliminate hazards – as required by testing authorities! MAN Genuine protective devices meet all technical requirements with regard to components and design.

A convenient cutout makes it easy for the driver to collect fares, issue tickets and change, and check tickets.



Properties
Permitted as a permanent fixture in the vehicle
Comply with the latest standards and safety regulations
Stylish design, no glare

Available for Lion's City (from MY 2018, 12C/18C/19C) and in four variants for most MAN city buses (up to MY 2018, A2X, A3X and A7X)

Note: You can use the variant list in the MAN After Sales Portal to easily check which variant is suitable for your vehicle. Ask your MAN service outlet for detailed information. Fitting by a MAN service outlet is recommended.

SAFETY

LED revolving beacons



A revolving beacon warns of dangerous situations such as accidents or deployment sites. It ensures maximum own and third-party safety, emitting intensive warning signals by means of optimum light bundling and distribution.



Properties
Light distribution in accordance with ECE-R65 and R10
LED technology
10 to 32 V
Dimensions: dia. 130 mm x 80 mm

Note: Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
81.25207-6074	LED revolving beacon, yellow	All TGL, TGM, TGS and TGX models
81.25207-6075	LED revolving beacon, blue	
Also available:		
81.25207-6072	Revolving beacon, yellow	
81.25207-6073	Revolving beacon, blue	

SAFETY

LED spotlights (with MAN branding)



MAN Genuine LED spotlights ensure greater safety at work thanks to optimal lighting conditions. The LED technology provides particularly bright light whilst requiring little energy, and is both durable and state-of-the-art. Thanks to the advanced type of protection, the spotlights are guaranteed to be particularly robust. Three light distributions for long-range illumination, close-range illumination and R23/close-range illumination are available in three light intensities of 1,200, 2,000 and 3,000 lumens.

Properties

Robust and durable LED technology with innovative thermal management
Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing
Scratch and UV resistant due to coated cover glass
Watertight even when high-pressure cleaners (IP6K9K) are used.

Note: The LED spotlights have an integrated Lear plug and a bracket (exception: LED spotlight with ECE-R23 approval as reversing light). Fitting by a MAN service outlet is recommended.

Further information Further product details and a parts list for the R23 plug set can be found in the ► **MAN After Sales Portal**.

Item number	Designation	Suitable for
U1.25103-6014	Close-range illumination, 1,200 lumens	All TGL, TGM, TGS and TGX with bracket and wiring for spotlight ex works
U1.25103-6016	Close-range illumination, 2,000 lumens	
U1.25103-6018	Close-range illumination, 3,000 lumens	
U1.25103-6019	Close-range illumination 1,000 lumens with R23 approval as reversing light	
U1.25103-6013	Long-range illumination, 1,200 lumens	
U1.25103-6015	Long-range illumination, 2,000 lumens	
U1.25103-6017	Long-range illumination, 3,000 lumens	
U1.25140-6003	Spotlight bracket (ASW special bracket)	

SAFETY

LED spotlight



With two different light outputs for long- or close-range illumination, there is a suitable solution for every requirement.



Properties

Robust and durable LED technology with innovative thermal management
Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing
Scratch and UV resistant due to coated cover glass
Watertight even when high-pressure cleaners (IP6K9K) are used.

Note: Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
U1.25103-6023	Close-range illumination, 1,000 lumens	All TGL, TGM, TGS and TGX with bracket and wiring for spotlight ex works
U1.25103-6022	Close-range illumination, 1,800 lumens	
U1.25103-6021	Long-range illumination, 1,000 lumens	
U1.25103-6020	Long-range illumination, 1,800 lumens	

Spotlight, halogen



The spotlight illuminates the desired area. With extra-robust housing, this spotlight is also suitable for construction sites.

Properties

H3 bulb, 70 W
24 V, plug connector for simple connection



Item number	Designation	Suitable for
81.25103-6068	Spotlight	All TGL, TGM, TGS and TGX models

SAFETY

Additional reversing light, LED



With the additional reversing lights it is possible to recognise obstacles, the road condition and the edge of the road even more clearly in the dark.

The LED technology provides particularly bright light whilst requiring little energy, and is both durable and state-of-the-art. The high degree of protection guarantees that the reversing light is particularly rugged.



Properties

Robust and durable LED technology with innovative thermal management
Suitable for the harshest requirements and outdoor conditions thanks to aluminium die-cast housing
Scratch and UV resistant due to coated cover glass
Watertight even when high-pressure cleaners (IP6K9K) are used.
Close-range illumination with 1,000 lumens

Note:
The reversing light has a German plug connection.
Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
U1.25103-6019	Close-range illumination, 1,000 lumens	All TGL, TGM, TGS and TGX with bracket and wiring for reversing light ex works
81.25449-5044	Y-adapter cable, 1.5 m	All TGL, TGM, TGS and TGX from MY 2020

Additional reversing light, halogen



With the auxiliary reversing lights you can make out obstacles, the road condition and the edge of the road even more clearly in the dark. Another impressive feature is the replaceable lens, which means that it is not necessary to replace the complete light unit in the event of damage. A bulb retaining device that is particularly stable against vibration ensures a longer service life.



Properties

H3 bulb, 24 V/21 W

Item number	Designation	Suitable for
81.25103-6074	Additional reversing light	All TGL, TGM, TGS and TGX models

SAFETY

DTCO thermal paper



The paper roll offers excellent readability and reliability, even in the event of large temperature fluctuations. Can also be used for other tachographs such as VDO, Actia and Stoneridge.



Properties

3 x 8 m rolls

Item number	Designation
81.27103-6000	DTCO thermal paper

Suitable for
All MAN vehicles with digital tachograph

First-aid kit



In an emergency, the first-aid kit guarantees outstanding first aid for injured persons.



Properties

Fulfils statutory requirements of §35h StVZO (German Road Traffic Licensing Regulations) and DIN 13164.
In six languages

Item number	Designation
83.09112-6001	First-aid kit

Suitable for
All MAN vehicles

First-aid pouch



First aid in emergencies and also legally required! The DIN-compliant first-aid pouch is an essential companion in emergencies. It is equipped in accordance with DIN 13164, and is stored in a simple, space-saving manner.



Properties

Fulfils statutory requirements of §35h StVZO (German Road Traffic Licensing Regulations) and DIN 13164.
In six languages

Item number	Designation
81.66803-6005	First-aid pouch

Suitable for
All MAN vehicles

SAFETY

High-visibility vest



The best possible protection on busy streets and highways: The reflective high-visibility vest ensures that you can be seen from a long way off in the event of a break-down or accident.

Properties	
Colour:	Orange
Additional reflectors	



Item number	Designation	Suitable for
09.82007-0749	High-visibility vest	All MAN vehicles

Set-up hazard warning light



In the event of an accident, this light is the perfect companion. The intelligent base system ensures that it can be set up securely on any surface. You will be impossible to overlook.



Item number	Designation	Suitable for
81.66804-6039	Set-up hazard warning light	All MAN vehicles

Warning triangle



Attention: the reflective warning triangle with the ECE mark of conformity (§53a, StVZO – German Road Traffic Licensing Regulations) is an important companion in hazardous situations. The triangle's pivoting metal base ensures it can be set up quickly and safely in the event of an accident or breakdown

Properties	
Swivelling metal base	
Colour:	Red/orange



Item number	Designation	Suitable for
81.66907-6016	Warning triangle	All MAN vehicles

SAFETY

Jump leads with Startsafe



Get on the move safely with the jump leads from MAN. High-quality jump leads made from flexible copper cable and fully insulated charging clips. Flame-retardant, unbreakable and tear-resistant as well as oil- and acid-resistant.

Properties	
PVC-sheathed cable	
7 m long, 50 mm² cross section	




Item number	Designation	Suitable for
81.25454-6333	Jump leads with Startsafe	All MAN vehicles

Wheel chocks



Our robust wheel chocks secure the vehicle and prevent it from rolling away, also on downhill gradients. Available in metal or robust plastic. (StVZO. Vehicles III. Manufacturing and operation regulations Sect. 41 Brakes and wheel chocks)

Note:
Please note the maximum radius of your tyre (460 mm/530 mm).



Item number	Designation	Suitable for
81.66935-0021	Wheel chock, plastic, G53	All MAN vehicles
81.66935-0012	Wheel chock, plastic, G46	
81.66935-0015	Wheel chock, metal, G53	

SAFETY

Hydraulic jack



A good lifter: this jack is indispensable when you need to change a tyre.

Note:
Please note the necessary tonnage and the maximum height requirement (in mm) of your vehicle.



Item number	Designation	Suitable for
81.66805-6088	Jack, 12 t, single-stage, 440 mm	All MAN vehicles
81.66805-6089	Jack, 12 t, two-stage, 525 mm	
81.66805-6090	Jack, 25 t, 522 mm	
81.66805-0005	Pump lever, 100 cm, two-piece	

Tool bag with contents

With this tool bag, you have everything you need for your MAN should the worst happen: Spanner, wheel nut spanner, pliers, screwdriver.



Item number	Designation	Suitable for
81.66802-6201	Tool bag with contents	All TGS and TGX with plastic bumper
81.66802-6206	Tool bag with contents	All TGS and TGX with steel bumper
81.66802-6202	Tool bag with contents	All TGM
81.66802-6208	Tool bag with contents	All TGL; all TGM with N16 VIN
81.66802-6165	Tool bag with contents	TGA

SAFETY

Tyre inflation hose



Have your tyres lost air? With the tyre inflation hose, you are ideally equipped when on the move. The hose comes complete with pressure gauge and in lengths of 10 and 20 metres.

Note:
A compressed-air connection in the cab is required for the tyre inflation hose.



Item number	Designation	Suitable for
81.96330-6025	10 m with pressure gauge	All MAN vehicles
81.96330-6026	20 m with pressure gauge	

Bulb box

With this bulb box you always have a clear view: if a bulb ever burns out, this kit enables you to rectify any damage quickly and easily. Includes the most common bulbs and fuses for all TG models and MAN buses/coaches with H7 lamps.



Item number	Designation	Suitable for
07.92000-4029	Bulb box	All TGL, TGM, TGS and TGX models and all buses/coaches with H7 lamps

SAFETY

Trailer connection



Connect what belongs together – truck and trailer. Our coupling heads are particularly robust and durable. Even when handled roughly, the coupling heads will not break. The special alloy of the coupling heads offers optimum protection against corrosion.

Colour-coded and designed in accordance with DIN ISO 1728 to prevent the coupling heads being mixed up.

Properties

Operating pressure 0 to 10 bar



Item number	Designation
81.51220-6068	Coupling head, vehicle, supply, red
81.51220-6075	Coupling head, trailer, supply, red
81.51220-6069	Coupling head, vehicle, brake, yellow
81.51220-6038	Coupling head, trailer, brake, yellow
81.51220-6120	Duomatic quick coupling, vehicle, with lever
81.51220-6121	Duomatic quick coupling, trailer, without lever
82.51220-6027	Duomatic quick coupling, vehicle, without lever
81.96341-0029	Spiral hose, 4 m M16X1.5-M18X1.5
81.96340-0880	Spiral hose, 4 m M16X1.5-M16X1.5
81.96340-0986	Spiral hose, 4 m M18X1.5-M18X1.5
81.25411-6061	Spiral cable, 7-pin, DIN 7638 (EBS)
81.25411-6062	Spiral cable, 15-pin, DIN 12098
81.25411-6063	Spiral cable, 7-pin, DIN 3731, Type S
81.25411-6064	Spiral cable, 7-pin, DIN 1185, Type N
81.25411-6066	Spiral cable, 15-pin, DIN 12098, to 2x7-pin (DIN1185/DIN3731)
81.25432-6201	Socket with cable, 7-pin, 24 V, 1,200 mm/DIN 1185 Type N
81.25432-6202	Socket with cable, 7-pin, 24 V, 1,200 mm/DIN 3731 Type S
81.25432-6214	Socket with cable, 13-pin, 24V 1,200 mm
81.25432-6215	Socket with cable, 13-pin, 24 V, 2,500 mm
81.25432-6212	Socket with cable, 15-pin, 24 V, 1,200 mm/DIN 12098
88.25432-6034	Adapter socket, 15-pin DIN 12098 to 2x7-pin (DIN1185/DIN3731)

Suitable for
All trucks and buses

SAFETY

Protective cage for tail lights



In order to provide all-round protection for your vehicle, we offer you a protective cage for the tail lights. Especially convenient thanks to a folding function that makes it easier to change bulbs.



Item number	Designation
81.25209-6008	Protective cage assembly (two units required)

Suitable for
All TGM and TGS

Protective cover over tail lights



Cover made from sheet steel as protective roof over the seven-chamber tail lights left and right.



Item number	Designation
81.42940-0321	Protective cover, left
81.42940-0322	Protective cover, right

Suitable for
All TGS and TGX

SAFETY

Protective guard, headlight (for vehicles up to MY 2019)

The removable steel grilles (coarsely meshed as basic version and finely meshed as an attachment for off-road/construction site deployment) protect the headlights from stone chips and damage.

! Note:

- Only for vehicles with steel bumper!
- The coarsely meshed basic variant is EU-compliant.
- The optionally available attachment with fine mesh must be used only for off-road applications.



Item number	Designation	Suitable for
81.41630-5053	Protective guard, left	TGL and TGM up to MY 2019 with steel bumper with headlight cleaning system
81.41630-5052	Protective guard, right	
81.41630-5055	Attachment, fine mesh, left	
81.41630-5054	Attachment, fine mesh, right	
06.07213-3309	Oval head screw (16x)	
81.41630-0010	Fastener, outer (8x)	
81.41630-0011	Fastener, inner (8x)	TGL and TGM up to MY 2019 with steel bumper with headlight cleaning system
81.41630-0014	Clip (8x)	
81.41630-5051	Protective guard, left	
81.41630-5050	Protective guard, right	
81.41630-5057	Attachment, fine mesh, left	
81.41630-5056	Attachment, fine mesh, right	
06.07213-3309	Oval head screw (16x)	TGL and TGM up to MY 2019 with steel bumper without headlight cleaning system
81.41630-0010	Fastener, outer (8x)	
81.41630-0011	Fastener, inner (8x)	
81.41630-0014	Clip (8x)	
81.41630-5049	Protective guard, left or right (2x)	
81.25140-0096	Mounting bracket (8x)	
06.04300-6712	Oval-head countersunk screw (16x)	TGL and TGM up to MY 2019 with steel bumper without headlight cleaning system
06.11064-2111	Hex nut (16x)	
81.41630-5047	Protective guard, left or right (2x)	
81.25140-0096	Mounting bracket (8x)	
06.04300-3611	Oval-head countersunk screw (16x)	
06.11064-2111	Hex nut (16x)	

SAFETY

Protective guard, headlight (for vehicles from MY 2020)

The removable steel grilles (coarsely meshed as basic version and finely meshed as an attachment for off-road/construction site deployment) protect the headlights from stone chips and damage.

! Note:


- Only for vehicles with steel bumper!
- The coarsely meshed basic variant is EU-compliant.
- The optionally available attachment with fine mesh must be used only for off-road applications.



Item number	Designation	Suitable for
81.41630-5063	Protective guard, main headlight, left	TGL and TGM from MY 2020 with steel bumper
81.41630-5065	Attachment, fine mesh, main headlight, left	
81.41630-5062	Protective guard, main headlight, right	
81.41630-5064	Attachment, fine mesh, main headlight, right	
06.07219-0050	Oval head screw (16x)	
81.41630-0010	Fastener, outer (8x)	
81.41630-0015	Fastener, inner (8x)	TGS and TGX from MY 2020 with steel bumper
81.41630-5059	Protective guard, main headlight, left	
81.41630-5067	Protective guard, auxiliary headlight, left	
81.41630-5061	Attachment, fine mesh, main headlight, left	
81.41630-5069	Attachment, fine mesh, auxiliary headlight, left	
81.41630-5058	Protective guard, main headlight, right	
81.41630-5066	Protective guard, auxiliary headlight, right	
81.41630-5060	Attachment, fine mesh, main headlight, right	
81.41630-5068	Attachment, fine mesh, auxiliary headlight, right	
06.07219-0050	Oval head screw (28x)	
81.41630-0010	Fastener, outer (12x)	
81.41630-0015	Fastener, inner (12x)	
81.41630-0016	Fastener, inner (4x)	

SAFETY

Protective guard for rear wall window



Protects the rear wall window against damage, perfect fit due to development with the vehicle.

Item number	Designation	Suitable for
81.62751-5014	Protective guard for rear wall window	All TGL, TGM and TGS with rear wall window

! Further information

An overview of additional assembly parts can be found in the following table.

Item number	Designation	Suitable for
06.13169-0031	Blind rivet nut (six units required)	All TGL, TGM and TGS with rear wall window
06.02254-2105	Cheese-head screw (six units required)	

INFOTAINMENT



Better informed, arrive safely

Optimal safety, reliable navigation, on-time goods delivery and extensive communication possibilities are a must for professional truckers.

No matter where you need to go, state-of-the-art technology from MAN ensures you get there comfortably and safely.



INFOTAINMENT

CB radio sets



Our CB radio sets are equipped with state-of-the-art technology and impress with very easy fitting and operation. The VOX hands-free function of our radio sets allows communication in the vehicle without having to pick up the microphone. The radio detects when the driver is speaking and automatically starts transmission. As a result, our CB radio sets can be used in vehicles without problems in accordance with numerous international road traffic regulations. Our CB radio sets are approved for Europe-wide use.

Note:
All parts required for fitting are included. Adapter cable 33.28104-6085 is also required for fitting CB radio sets in vehicles from model year 2020.

1

MAN 3008 VOX

For use in:
AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM and UK
(CB country list November 2019)



Properties	
Vox hands-free function	Display: Channel and frequency setting
Wide-angle LCD display panel	Rotary channel knob
AM/FM selection	Electret microphone
38 CTCSS codes	Flash EEPROM memory
Six-pin microphone jack on front panel	Two colours for display illumination
Five channel memories	Dimmable display illumination
SCAN functions for all channels	Front speaker
Channel 9/19 direct button	Dimensions: 188 (W) x 57 (H) x 131 (D) mm
Switchable key beeps and Roger beep	Weight: 1.9 kg
ASQ or normal SQ selectable	Scope of delivery with DIN installation frame, microphone

Further information
Assembly instructions and Operator's Manual are available for you on the ► [MAN After Sales Portal](#).

Item number	Designation	Suitable for
K3.28215-6001	CB radio set 3008 VOX	All TGL, TGM, TGS and TGX models
K3.28201-6001	Handheld microphone 3008 VOX	
K3.28240-6004	DIN installation frame 3008 VOX	
K3.28205-0001	FME antenna adapter 3008 VOX	
K3.28240-6005	Microphone holder incl. screws 3008 VOX	

INFOTAINMENT

CB radio sets



2

MAN XM 3006e

For use in:
AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM and UK
(CB country list November 2019)



Properties	
12/24 V operation without switchover	F-button for switching frequency tables
Automatic Squelch Control (ASC)	Mode button AM/FM
Switchable frequency tables EU, PL, d, EC, U, In	Six-pin microphone jack
VOX function for voice-controlled transmission	Jack for external loudspeaker (3.5 mm)
Continuously adjustable VOX gain	Jack for external VOX microphone (2.5 mm)
Automatic noise limiter (ANL)	High-quality UP/DOWN microphone (electret)
Freely programmable Emergency button	USB charging port (5 V/2.1 A)
Multifunction LCD	Slide-in bracket weight: 84 g
TOT Time-Out-Timer (transmit time limitation)	Weight XM 3006e: 800 g
Key Beep and Roger Beep	Dimensions including slide-in bracket: 180 x 50 mm (ISO 7736) DIN slot

Further information
Assembly instructions and Operator's Manual are available for you on the ► [MAN After Sales Portal](#).

Item number	Designation	Suitable for
K3.28215-6000	CB radio set XM 3006e	All TGL, TGM, TGS and TGX models
K3.28201-6000	Handheld microphone XM 3006e	
K3.28240-6002	DIN installation frame XM 3006e	
K3.28205-0000	FME antenna adapter XM 3006e	
K3.28240-6003	Microphone holder incl. screws XM 3006e	

INFOTAINMENT

Radio MMT_1 Advanced additional functions (for vehicles from MY 2013 to MY 2016)

The MAN Media Truck Advanced offers the customer a range of functionalities. With the modular design, the customer has the option of adding optionally available additional functions to the basic device to meet their needs and requirements. All at a very attractive price-performance ratio!

Available additional functions:

- Hands-free functionality
- Camera preparation
- USB port /AUX-IN connection
- Navigation



1

Hands-free functionality for one mobile phone (multifunction steering wheel and Bluetooth®-compatible)

Wireless activation of the hands-free system in the MAN Media Truck Advanced (Bluetooth). For more information on the use of mobile phones in the vehicle, please refer to the Operator's Manual of your vehicle.

Note:

The microphone and connecting cable must be present in the vehicle. Due to design, exceptions are possible for selected vehicle types. If they are not present in the vehicle, the item numbers below must be retrofitted.

Further information

Pin layout on MMT_1:

D2	MIC GND	black
D1	MIC +	yellow

A compatibility list of mobile phones can be found in the ► [MAN After Sales Portal](#).

Item number	Designation	Suitable for
81.25890-7672	MAN Genuine Software®	TGL, TGM, TGS and TGX models with MMT_1 from MY 2013 to MY 2016
81.28201-0047	Microphone	
81.25459-5704	MMT connecting cable to A-pillar	
81.25459-5550	Connecting cable A-pillar to roof	

2

Camera preparation

Connecting a camera is possible if the required software version is installed on MMT and a camera preparation unit has been fitted. Further details can be found under Repair and maintenance/Service information ► [TI 492402](#).

Note:

The camera is connected as per the MANTED® guideline (MAN technical data and Guide to Fitting Bodies).

Item number	Designation	Suitable for
see TI 492402	MAN Genuine Software®	TGL and TGM models with MMT_1 from Euro 6 to MY 2016; TGS and TGX models with MMT_1 from MY 2013 to MY 2016

INFOTAINMENT

Radio MMT_1 Advanced additional functions (for vehicles from MY 2013 to MY 2016)

USB port/AUX-IN connection in the instrument panel

Connection in the right-hand edge of the centre console stowage compartment.

One connection, many options:

Charging function for mobile phones

- Connection for external audio sources (e.g. MP3 player)
- USB port for various USB mass storage devices

Space for the left cup holder remains free. An appropriate cut-out in the instrument panel ensures optimum fit.



Item number	Designation	Suitable for
81.25432-0543	USB port and AUX-IN	TGL and TGM models with MMT_1 from Euro 6 to MY 2016; TGS and TGX models with MMT_1 from MY 2013 to MY 2016
81.25460-5032	Cable harness for left-hand-drive and RHDs	
81.28104-6057	Connecting cable, LHD	
81.28104-6058	Connecting cable, RHD	

Note:

In individual cases, the socket connector C on the MMT is not assigned. For these individual cases, the socket connector is available separately as a single part:

Item number	Designation	Suitable for
81.25475-0247	Socket connector, 12-pin	TGL and TGM models with MMT_1 from Euro 6 to MY 2016; TGS and TGX models with MMT_1 from MY 2013 to MY 2016
81.25475-0244	Locking part	

INFOTAINMENT

Radio MMT_1 Advanced additional functions (for vehicles from MY 2013 to MY 2016)

Navigation

The navigation function requires the function parameters to be enabled on MMT. A micro SD card with map material (by region) must also be ordered separately.

Note:
As prerequisite, a GPS antenna must be present. Please enquire about our 3G/GPS combined adhesive antenna or LTE/GNSS combined adhesive antenna.



Item number	Designation	Suitable for
81.25890-7674	MAN Genuine Software®	

MAN Genuine Software®
Navigation SD card – the following regions are available:

Item number	Designation	Suitable for
81.28151-0111	Navigation system memory card Europe 2020/21	TGL, TGM, TGS and TGX models with MMT_1 from MY 2013 to MY 2016
81.28151-0113	Navigation system memory card Eastern Europe 2020/21	
81.28151-0112	Navigation system memory card Western Europe 2020/21	
81.28151-0093	Navigation system memory card Australia/New Zealand 2018/19	
81.28151-0081	Navigation system memory card Brazil 2018/19	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

The radio is increasingly taking on the function of a central multimedia interface in the vehicle. A new generation of MAN infotainment devices has been available since model year 2017 in order to meet the wishes of vehicle crews for flexible media selection, for example.

Alongside these radio devices with their five- and seven-inch colour displays, there is a large range of expansion options to choose from.



Available additional functions:	MMT Starter without DAB	MMT Starter with DAB	MMT Advanced
1 Operation via multifunction steering wheel	■	■	■
2 Audio streaming via Bluetooth interface	■	■	■
3 USB port and AUX-IN connection in the instrument panel	■	■	■
4 Hands-free Starter	■	■	-
5 Hands-free Advanced	-	-	■
6 Video function via USB/SD	-	-	■
7 Camera preparation	-	-	■
8 Voice control	-	-	■
9 MAN SmartLink	-	-	■
10 Navigation functionality	-	-	■
Digital radio reception DAB+	-	■	■

Operation via multifunction steering wheel

The function enables the operation of telephony, radio and voice dialogue system by means of the multifunction steering wheel:

- Making/accepting/rejecting phone calls
- Changing audio sources
- Selecting station list/media tracks
- Activating/deactivating optional voice control

Significant increase in driving safety as all functions can be operated without removing hands from the steering wheel.

Note:
The multifunction steering wheel (MFL) is a prerequisite.



Item number	Designation	Suitable for
81.25890-7677	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 up to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7676	MAN Genuine Software®	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

2

Audio streaming via Bluetooth interface

Bluetooth connection via MMT user interface and/or multifunction steering wheel.

- Convenient option of playing audio files from a mobile phone via an active Bluetooth connection using MMT.
- All the advantages of the high-quality loudspeaker system matched to the cab can then be utilised. No additional equipment/adaptor cables are needed.
- Once the initial pairing (mobile phone – MMT) has been carried out, the devices are automatically connected at every new start whenever the Bluetooth function is active.



Item number	Designation	Suitable for
81.25890-7886	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

3

USB port/AUX-IN connection in the instrument panel

A USB port/AUX-IN connection is integrated in the right edge of the centre console stowage compartment. The corresponding cutout ensures the optimal fit. USB charging function (e.g. for mobile phones via USB connecting cable)

- Connection for external audio sources (e.g. MP3 player or mobile phone) Control via MMT possible for USB port.
- The advantages of the high-quality loudspeaker system matched to the cab can be utilised.
- Information (e.g. track, artist, album) of each audio track is shown on the MMT display.
- Space for the left cup holder remains free.



Item number	Designation	Suitable for
81.25432-0543	USB port and AUX-IN	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25460-5032	Cable harness, cab AUX-IN, left-hand and RHDs	
81.28104-6061	HSD connecting cable, LHD	
81.28104-6062	HSD connecting cable, RHD	
81.25890-7888	MAN Genuine Software®	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

4

Hands-free Bluetooth functionality Basic (one mobile phone)

Allows legally compliant use of mobile devices while driving. Connection of one mobile phone to MMT via Bluetooth

- Phone calls can be made conveniently and in perfect voice quality using the integrated Bluetooth hands-free system in the vehicle.
- A total of up to ten phones can be paired and thus automatically connected upon detection.
- Access to telephone data such as phonebook, call lists, text messages and functions (making calls, reading text messages, etc.) via MMT.



! Note:

The microphone cover must be replaced by a microphone. Connecting cables must be present in the vehicle for this purpose, with exceptions in the production period 08/2016 - 02/2017 and for selected vehicle types, depending on their design. If connecting cables are not available, the item numbers below must be retrofitted.

Item number	Designation	Suitable for
81.25890-7883	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7676	MAN Genuine Software®	
81.28201-0047	Microphone	
81.25459-5704	Connecting cable MMT_2 to A-pillar	
81.25459-5550	Connecting cable A-pillar to roof	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

Hands-free Bluetooth functionality Comfort (two mobile phones)

- Allows legally compliant use of mobile devices while driving. Two mobile phones can be connected simultaneously via Bluetooth.
- Option of pairing two mobile phones with MMT at the same time. This makes it possible, among other things, to use a business and a private mobile phone at the same time.
 - Phone calls can be made conveniently and in perfect voice quality using the integrated Bluetooth hands-free system in the vehicle.
 - A total of up to ten phones can be paired and thus automatically connected upon detection.
 - Access to telephone data such as phonebook, call lists, text messages and functions (making calls, reading text messages, etc.) via MMT.



Note:
The microphone cover must be replaced by a microphone. Connecting cables must be present in the vehicle for this purpose, with exceptions in the production period 08/2016 - 02/2017 and for selected vehicle types, depending on their design. If connecting cables are not available, retrofit the item numbers below.

Item number	Designation	Suitable for
81.25890-7882	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7676	MAN Genuine Software®	
81.28201-0047	Microphone	
81.25459-5704	Connecting cable MMT_2 to A-pillar	
81.25459-5550	Connecting cable A-pillar to roof	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

Video function via USB/SD interface

- Connection of a storage medium via the USB port or SD card slot
- Decoding of all common video formats
- Control of video playback via MMT and/or the multifunction steering wheel
- Video output on the MMT seven-inch colour display
- Sound output on the vehicle's loudspeaker system
- Video function is available only when the vehicle is stationary.
- The advantages of the integrated display and high-quality speaker equipment (including the optional sound system) tailored to the driver's cab can be exploited.



Note:
Prerequisite: USB port/AUX-IN connection

Item number	Designation	Suitable for
81.25890-7880	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

Camera preparation

- Preparation for connecting one or two cameras
- The image from the camera is shown on the MAN Media Truck Advanced seven-inch colour display.
- Depending on the variant, activation of camera and switchover between the cameras takes place either automatically, for example when reverse gear is engaged, and/or manually, directly on the radio.
- Enhanced safety and damage prevention when reversing/manoeuvring thanks to the display of the area behind the vehicle. Automatic switchover when reverse gear is engaged provides additional comfort and relieves the driver's workload.



Item number	Designation	Suitable for
One camera:		
81.28104-6063	HSD cable, camera, LHD	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.28104-6064	HSD cable, camera, RHD	
Two cameras:		
81.28104-6065	HSD cable, camera, LHD	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.28104-6066	HSD cable, camera, RHD	

MAN Genuine Software®
Please also select the appropriate variant:

Item number	Designation	Suitable for
One camera:		
81.25890-7876	Camera activation via analogue video input (one camera)	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7878	Camera activation with rear-view camera (activation via reverse gear)	
Two cameras:		
81.25890-7877	Camera activation via analogue video input (two cameras)	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7879	Camera activation with rear-view camera (activation via reverse gear) and additional camera (activation via button)	

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

Voice control

This convenience function enables various functions of the new MMT to be operated by voice input.

- Input of navigation destination using one-shot voice control
- Dialling phone book contacts
- Accepting/making calls
- Simple and fast activation of the voice control function using the multifunction steering wheel.

The driver's attention remains on the road, since there are practically no distractions caused by the driver having to look away.

Note:
The multifunction steering wheel (MFL) and a microphone are prerequisites.



Item number	Designation	Suitable for
81.25890-7881	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

SmartLink

MAN SmartLink allows the available apps on a smart-phone/tablet to be used/operated via MMT Advanced built into the vehicle.

- After successful connection, the apps supported by MAN SmartLink can be operated both by touching the MMT display and by pressing the buttons on the multifunction steering wheel.
- Apps shown on the high-resolution, easy-to-read seven-inch display
- Android and iOS operating systems are supported.

Note:
Only for vehicles with instrumentation software version (at least R38) and MMT software version (at least R57). The multifunction steering wheel (MFL) and a USB port/AUX-IN connection are also required.



Item number	Designation	Suitable for
81.25890-7880	MAN Genuine Software®	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

INFOTAINMENT

Radio MMT_2 Advanced additional functions (for vehicles from MY 2017 to MY 2019)

Navigation

Truck-specific satellite navigation possible depending on deployment of vehicle. Including map material for one region and annual update of the map material (plus labour costs) up to 2025.

Note:
As prerequisite, a GPS antenna must be present. Please enquire about our 3G/GPS combined adhesive antenna or LTE/GNSS combined adhesive antenna.



Further information
Navigation micro SD cards for Radio MAN Media Truck MMT_2
The map material for the navigation is available to download via the MAN-cats® III system. Further information can be found in a quick guide under Technical Information in MAN-cats®.

We recommend that you download the latest versions of the available maps and save them locally (e.g. on your laptop) so that they are available at short notice if required. You will be notified of new map versions via "MAN-cats® III Release Notes".

The automotive SD card in MAN design for storing the map material can be ordered with the following MAN item number:

Item number	Designation	Suitable for
07.98703-1008	Navigation SD card 32 GB	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019

MAN Genuine Software®
Navigation SD card – software packages for regional activation:

Item number	Designation	Suitable for
81.25890-7868	MMT_2 Navigation map Europe	TGL and TGM models with MMT_2 from Euro 6 MY 2017 to MY 2019; TGS and TGX models with MMT_2 from MY 2017 to MY 2019
81.25890-7871	MMT_2 Navigation Map Oceania	
81.25890-7870	MMT_2 Navigation map Middle East	
81.25890-7869	MMT_2 Navigation Map South America	

INFOTAINMENT

Radio MMT_3 Advanced additional functions (for vehicles from MY 2020)



For the latest generation of MMT from model year 2020, customers can also optionally receive available additional functions according to their needs and requirements. The range will be gradually expanded in the future.

Camera preparation

- Preparation for connecting one or two cameras
- The image of the camera is shown on the MAN Media Truck Advanced seven-inch colour display.
- Depending on the variant, activation of camera and switchover between the cameras takes place either automatically, for example when reverse gear is engaged, and/or manually, directly on the radio.
- Enhanced safety and damage prevention when reversing/manoeuvring thanks to the display of the area behind the vehicle. Automatic switchover when reverse gear is engaged provides additional comfort and relieves the driver's workload.



Note:
Vehicle SW version 4.2. is a prerequisite for activation via pin. Activation via button requires a camera switchover button. If no camera switchover button is present it must be retrofitted. Further information can be obtained from your MAN service outlet or the MAN After Sales Portal. The camera(s) are connected as per the MANTED® guideline (MAN technical data and Guide to Fitting Bodies).

Item number	Designation	Suitable for
81.25449-5041	HSD cable, two cameras in central electrical system	TGL, TGM, TGS and TGX models with MMT_3 from MY 2020

MAN Genuine Software®
Please also select the appropriate variant:

Item number	Designation	Suitable for
One camera:		
81.25891-0365	Camera activation via button or pin	TGL, TGM, TGS and TGX models with MMT_3 from MY 2020
81.25891-0367	Camera activation via reverse gear	
Two cameras:		
81.25891-0364	Camera activation CAM1 (activation via button or pin), CAM2 (activation via button)	TGL, TGM, TGS and TGX models with MMT_3 from MY 2020
81.25891-0366	Camera activation CAM1 (activation via button or pin), CAM2 (activation via reverse gear)	

INFOTAINMENT

Bluetooth mobile communications adapter

The Bluetooth adapter is inserted instead of the charging tray. This enables considerably more mobile phone types to be connected with the mobile phone preparation in the vehicle via the Bluetooth interface.

Properties
For the electrical preparation for mobile phone 350TI or 350TT

➔ **Further information**
Use the compatibility list in the ► **MAN After Sales Portal** to check whether your mobile phone is compatible with the code 350TO and with the codes 350TI, 350TT extended to Bluetooth.

Item number	Designation	Suitable for
81.28215-0134	Bluetooth mobile communications adapter	TGL and TGM Euro 5; TGS and TGX until MY end of 2009



ISO DIN shaft

For mounting an additional ISO DIN device (e.g. radio, tachograph, CB radio set, etc.) in the front upper luggage rack if the existing ISO DIN slots are not sufficient.

Item number	Designation	Suitable for
81.63903-0438	ISO DIN shaft	TGL and TGM up to MY 2019 with C cab
81.63903-0439	Base frame	
06.07213-2310	Oval head screw (two units required)	
06.07219-0064	Cheese-head screw (four units required)	



INFOTAINMENT

3G/GPS combi-bonding-antenna

Universal receiving antenna for GPS satellite signals for use in, for example, telematics fleet management systems, navigation systems, traffic guidance systems or vehicle positioning systems if no roof antenna is fitted. In combination with flat cellular telephone antenna.

Properties
Dimensions: 100 mm x 66 mm x 21 mm
Cable length: 3,000 mm
Connection GPS: FAKRA female, Code C CELLULAR: FAKRA female, Code D

Item number	Designation	Suitable for
U1.28205-6003	Combi-bonding- antenna 3G/UPS	All TGL, TGM, TGS and TGX up to MY 2019



LTE/GNSS combi-bonding-antenna

Universal self-adhesive combined antenna for use with the 2G (GSM), 3G (UMTS/HSPA+) and 4G (LTE) mobile phone standards, as well as GPS, Galileo and Glonass GNSS position satellite systems. This antenna has been optimised and tested for operation with the RIO Box (TBM3).

Properties
Dimensions: 202 mm x 25 mm x 12.5 mm
Cable length: 4,000 mm
Weight: 120 g
Resistance: 10 kΩ
Connection GPS: FAKRA female, Code C CELLULAR: FAKRA female, Code D

Item number	Designation	Suitable for
U1.28205-6018	Combi-bonding-antenna LTE-GNSS	All TGL, TGM, TGS and TGX up to MY 2019



The antenna can also be used for compatible telematics applications such as fleet management systems, navigation systems, traffic management systems and vehicle positioning applications if a corresponding roof antenna has not been or cannot be fitted. Its flexible design makes this antenna suitable for fitting on the windscreen.



STYLE



More individual, even more original.

Want to add style to your truck's exterior?
All of this is now possible with our products for enhancing style. We offer additional lamps, lights, interior equipment options and other stylish and useful products so that you can customise the look of your truck.



STYLE

LED door projector



A special highlight: with MAN LED door projectors, boarding and alighting become unique experiences. When the door is opened, the MAN Lion or optionally the MAN logo is automatically projected onto the road in outstanding quality. Thanks to their simple plug & play installation, MAN door projectors can be fitted in any truck with integrated entry lighting within minutes.

Properties
24 V/2 W
The set includes two projections (MAN Lion and MAN logo).

Note:
In all truck models from model year 2020 onwards, fitting the projector requires only mechanical measures.

Item number	Designation	Suitable for
U1.25203-0000	LED door projector set	All TGL, TGM, TGS and TGX models where door entry lighting is already fitted.

STYLE

Exterior styling package



Inspire yourself and others – every day and on every trip. The MAN Genuine Exterior Styling Package offers you a wide range of options for styling and refining the exterior look of your truck.

- An exclusive design:
- Strengthens the external perception of a company
 - Creates visible added value and fills drivers and hauliers with pride
 - Shows a high level of appreciation to the driver, who will repay this with performance

Drive a MAN that is unmistakeably yours.

Roof light bar

MAN Genuine roof light bars are made to fit the shape of your cab and can be fitted with four additional lights, depending on the model. With individual look and lighting, they provide better illumination of the road and the work area in front of the vehicle.



Properties
Light bar made of polished stainless steel
70 mm diameter
Includes wiring and retaining device for four lights
Headlights optionally available with halogen or LED (round or square shape)

Note:
Further information on the item numbers suitable for your model can be obtained from your MAN service outlet. Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
	Lamp bracket TGX	TGX from MY 2020 with medium high (GM) and high roof (GX)

STYLE

Exterior styling package



2

Front and side bars

Attractive and useful at the same time MAN Genuine front and side bars offer additional protection for the lower front and side sections. They also impress with their durability and precise fit.



Properties

Front and side bars made of polished stainless steel
60 mm diameter

Note: Further information on the item numbers suitable for your model can be obtained from your MAN service outlet. Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
	Front bar TGX	TGX from MY 2020 (side bar only for 4x2 semitrailer tractor with 3,600 mm wheelbase)
	Side bar TGX	

STYLE

LED rear lights

High-quality, attractive design. Efficient LED technology reduces energy consumption and saves approx. 35 l of diesel per year and vehicle. The MAN Genuine LED rear lights are available for all MAN trucks in the TG series. Separate, special versions with a cable connection are available for vehicles with a liftgate.



Note: MAN Genuine LED rear lights can only be fitted on vehicles with central on-board computers version E7.4 and later. Conversions on vehicles with bulb rear lights require updated function parameters.

Further information Further details can be found under Repair and Maintenance/Service Information ► [TI 566602](#)

Item number	Designation	Suitable for
81.25225-6576	LED rear light, right, with plug	All TGL, TGM, TGS and TGX models up to MY 2019 with on-board computer from version E7.4
81.25225-6580	LED rear light, right, with plug, with reversing warning system	
81.25225-6579	LED rear light, left, with plug	
81.25225-6583	LED rear light, left, with plug, with number plate light	
81.25225-6578	LED rear light, right, with cable (vehicle with liftgate)	
81.25225-6582	LED rear light, right, with cable (vehicle with liftgate), with reversing warning system	
81.25225-6585	LED rear light, left, with cable (vehicle with liftgate), with number plate light	

STYLE

Side indicator light



The white side indicator light is an alternative to the standard orange side indicator light. The white indicator light emits a brighter light, giving the truck a special look and individual lighting characteristics. From trucks of MY 2020 onwards, particularly attractive LED side indicator lights with the MAN logo are obtainable.



Side indicator light, white



LED side indicator light with MAN branding

Item number	Designation	Suitable for
81.25320-6125	Side indicator light, MAN, right	TGL and TGM from MY 2020 with DM or FN cab; all TGS and TGX from MY 2020
81.25320-6127	Side indicator light, MAN, left	
81.25320-6130	Side indicator light, white	All TGS and TGX

LED clearance lamp



The power of four daylight-white LEDs ensures particularly good visibility, creating an impressive, state-of-the-art appearance. LEDs also offer lower power consumption and a significantly longer service life than bulbs.



Properties
Service life: up to 10,000 hours
Operating voltage: 24 V at 0.85 W

Note:
Mounting frames corresponding to the roof design must also be ordered.
Fitting by a MAN service outlet is recommended.

Item number	Designation	Suitable for
81.25260-6137	Contour light LED (two units required)	All TGL, TGM, TGS and TGX

STYLE

Compressed-air horn



Visibly audible with MAN Genuine compressed-air horns. The compressed-air horn not only adds to the look of your truck but is also an acoustic signal in hazardous situations.

Properties
Frequency 180 or 150 Hz
Operating pressure 600-1,200 kPa
Volume at nominal pressure 600 kPa at 2 m: approx. 115 dB (A)

Note:
You can find a detailed list of the parts required for assembly in your MAN service outlet. Fitting by a MAN service outlet is recommended. Please also note the applicable road traffic regulations of your country.

Item number	Designation	Suitable for
81.25301-6078	Compressed-air horn 180	All TGL, TGM, TGS and TGX
81.25301-6077	Compressed-air horn 150	

STYLE

TG Facelift 2017

By retrofitting your old MAN TG model (from Euro 6) with the visual design highlights of the series from MY 2017 to MY 2019, you will create a feel-good interior and a pleasing exterior appearance.

Exterior style accents such as the LED bars, a new-design MAN logo and chrome accents on the radiator grille create a self-confident look. Inside, the new colour scheme and a host of special details create a feeling of well-being. The better you feel, the better your journey in your MAN vehicle!

1

Radiator grille with logo

The distinctive MAN Lion is now located against a high-gloss black background on the radiator grille.



Item number	Designation	Suitable for
81.61150-6108	Radiator grille TGL/TGM	TGL and TGM from Euro 6 to MY 2019
81.61150-6107	Radiator grille, TGS	TGS from Euro 6 to MY 2019
81.61150-6106	Radiator grille, TGX	TGX from Euro 6 to MY 2019

2

Chrome application for bumper middle section

The slightly upwardly-angled profile of the slats guides the cooling air upwards towards the hotter areas of the radiator, thereby increasing the cooling output.



Item number	Designation	Suitable for
81.41610-6971	Bumper, middle section, TGX	TGX from Euro 6 to MY 2019
81.41614-0085	Air duct, left	
81.41614-0086	Air duct, right	
81.41614-6011	Step, TGX	
81.41610-6956	Bumper, middle section, TGS	TGS from Euro 6 to MY 2019
81.41614-0087	Air duct, left	
81.41614-0088	Air duct, right	
81.41614-6012	Step, TGS	

STYLE

TG Facelift 2017

Steering wheel with logo

Cover trim and Lion logo with black background for standard steering wheel, multifunction steering wheel and multifunction steering wheel in leather.



Item number	Designation	Suitable for
81.46432-6014	Cover trim	All TGL, TGM, TGS and TGX from Euro 6 to MY 2019

Slatted support with bunk cover for upper bunk

The slatted support of the Facelift 2017 features a changed bunk cover in the core colour "sand" with a woven MAN Lion.

The colour scheme creates the optimum feeling of well-being in the vehicle, thus ensuring the best possible recuperation during rest periods and driver motivation.



Item number	Designation	Suitable for
81.62159-5347	Slatted support, for TGL, TGM and TGS	TGL, TGM and TGS from Euro 6 to MY 2019
81.62159-5358	Slatted support, for TGX	TGX from Euro 6 to MY 2019

3

4

STYLE

TG Facelift 2017

Trim strips

Trim strips are available in three different materials, allowing you to customise the workplace to match your preferences. Whether it's a mix of high-gloss and matt black ("Net Black"), brushed aluminium or an elegant anthracite colour ("Trunk Wood").

Net Black

Item number	Designation
81.62681-0035	Door, left
81.62681-0036	Door, right
81.62681-0029	Air vent, door, left
81.62681-0030	Air vent, door, right
81.61710-5043	Driver's side, LHD
81.61710-5042	Driver's side, RHD
81.61710-5055	Co-driver's side, LHD
81.61710-5054	Co-driver's side, RHD
81.61710-5049	Centre, LHD
81.61710-5048	Centre, RHD



Suitable for
TGX from Euro 6 to MY 2019

Aluminium

Item number	Designation
81.62681-0031	Door, left
81.62681-0032	Door, right
81.62681-0025	Air vent, door, left
81.62681-0026	Air vent, door, right
81.61710-5039	Driver's side, LHD
81.61710-5038	Driver's side, RHD
81.61710-5051	Co-driver's side, LHD
81.61710-5060	Co-driver's side, RHD
81.61710-5057	Centre, LHD, TGL/M/S
81.61710-5056	Centre, RHD, TGL/M/S
81.61710-5045	Centre, LHD, TGX
81.61710-5044	Centre, RHD, TGX



Suitable for
TGX or TGL, TGM and TGS from Euro 6 to MY 2019

STYLE

TG Facelift 2017

Trim strips

Trunk Wood

Item number	Designation
81.62681-0033	Door, left
81.62681-0034	Door, right
81.62681-0027	Air vent, door, left
81.62681-0028	Air vent, door, right
81.61710-5041	Driver's side, LHD
81.61710-5040	Driver's side, RHD
81.61710-5053	Co-driver's side, LHD
81.61710-5052	Co-driver's side, RHD
81.61710-5059	Centre, LHD, TGL/M/S
81.61710-5058	Centre, RHD, TGL/M/S
81.61710-5047	Centre, LHD, TGX
81.61710-5046	Centre, RHD, TGX



Suitable for
TGX or TGL, TGM and TGS from Euro 6 to MY 2019

Decorative film set, Fire Lion, silver

The MAN Genuine decorative film set allows you to design your MAN vehicle uniquely. Perfectly coordinated, it adds a personal touch to your MAN. Turn your vehicle into an eye-catcher!

The set consists of two silver-white Lion decorative films, which cover a large area around the doors on both sides of the truck. The exterior is dominated by this element.



Note:
Decorative films may start to show signs of wear and ageing, particularly if exposed to direct sunlight (after one to three years, or even within a year in very hot climate zones). If the decorative film remains on the vehicle for an extended period of time, there may be visual differences between the painted area covered by the decorative film and the area not protected by film.

Item number	Designation	Suitable for
U1.97812-6001	Decorative film set, Fire Lion, silver	TGX from Euro 6 to MY 2019



DRIVER ASSISTANCE SYSTEMS



Intelligent support on the road

The intelligent, retrofittable MAN Genuine driver assistance systems support you in your day-to-day work. Whether we're talking about efficiency, safety or prevention, MAN Genuine driver assistance systems provide more driving comfort and can help avoid or even totally prevent critical situations. This noticeably relieves the driver's workload and there is a significant reduction in the risk of downtimes.



DRIVER ASSISTANCE SYSTEMS

Rear-view/camera system



Due the design and size of trucks, visibility in their immediate vicinity is often poor. These blind spots are often the cause of serious damage, especially when manoeuvring. The MAN Genuine rear-view/camera system can help here. With this system, drivers can see what's behind them just as well as they can see what's in front of them. It gives them an overview of the entire vehicle situation, including side views. The vehicle display shows high-contrast super-sharp images with the option of showing reversing guiding lines if required.



Regardless of whether truck or TGE, solo truck, with trailer or semitrailer: our complete kits and the flexible modular principle enable a vast range of applications.

Can be supplied with an external monitor or for viewing on the MAN Media Truck radio or the MAN Media Van radio with up to four cameras. The robust design is also suitable for extreme conditions.

Properties

Can be used as rear-view or forward-view camera.
Vibration-resistant, protected against dust and water
ADR tested

Note:

- Also available in the set:
- Adapter cables (for connection to MMT/MMV)
 - Adapter cables with ECU (for up to four cameras on MMT)
 - Seven-inch external monitor (for up to four cameras)
 - Various lengths of adapter cable
 - Connecting cables for trailers and semitrailers

Connection to the MAN radios MMT_2, MMT_3 and MMV always requires the necessary camera preparation. Further information for any necessary retrofitting of the respective camera preparation can be found in the After Sales Portal/Infotainment. Fitting by a MAN service outlet is recommended.

Further information

For simplified product selection, MAN offers pre-assembled complete sets for a single camera. Further information on available complete sets per vehicle can be found in your MAN service outlet.

Item number	Designation	Suitable for
	Rear-view/camera system, modular sets	All TGL, TGM, TGS and TGX models; All TGE

DRIVER ASSISTANCE SYSTEMS




360° BirdView camera system



The MAN 360° BirdView camera system is a powerful, HD-TVI detection system for the surrounding area. With its high-resolution 360° all-round view, MAN BirdView provides maximum visibility for difficult manoeuvres and ensures greater safety when turning off. Comprising four HD cameras with wide-angle lenses, the system delivers high-resolution imaging of the vehicle's surroundings from a bird's-eye perspective. This makes the surroundings of the vehicle environment entirely and seamlessly visible, including all blind spots.



Speed-dependent visualisation






up to 15 km/h
"Zoom"

15 km/h to
40 km/h

from 40 km/h
"Deactivation"

Situational visualisation



Left-hand turn
indicators

Right-hand
turn indicators

Reversing

Properties

Images displayed on seven-inch monitor
1,280 x 720 pixel camera resolution
ADR tested

Note:

- Vehicle prerequisite:
- Solo vehicle with fixed body (no trailer or semitrailer)
 - Maximum vehicle length: 14 m
 - Maximum vehicle width: 2.6 m
 - Vehicle height (height of cameras): min. 1.5 m, max. 4 m
 - Once it has been fitted and set up, the system has to be calibrated for its specific installation:
 - Calibration is carried out with the calibration set also offered by MAN.
 - The calibration software is supplied on the SD card included in the kit.

Fitting by a MAN service outlet is recommended.
Video recorder optionally available: 1 channel, 128 GB SD memory card, 54 hours recording time, 24 V

Item number	Designation	Suitable for
U1.28210-6015	BirdView 360° camera system	All TGL, TGM, TGS and TGX models; All buses/coaches
U1.28210-6019	Calibration set	
U1.28210-6018	Video recorder	
To follow	Interface with lighting	Additionally for all TG models from MY 2020

DRIVER ASSISTANCE SYSTEMS

Side camera system (SCS)

Eliminate the blind spot! It happens every day: pedestrians and cyclists unconsciously put themselves at risk when they are in the blind spot of trucks at crossings. Time and again, avoidable accidents happen. The best conceivable investment: a side camera system. Thanks to this side camera system, the driver is able to detect when people are in the blind spot. A camera mounted on the truck on the co-driver's side ensures optimum visibility of the area that was previously the blind spot by means of a 150°wide-angle lens. The system is activated either automatically when the turn indicator is set or manually by a switch.



- Note:**
- Two variants are available:
- Side camera system with image on separate seven-inch monitor at the level of the A-pillar (co-driver's side). The driver has the kerb mirror, the wide-angle mirror and the camera monitor in the same field of vision.
 - Side camera system with image shown on the MMT radio seven-inch display

- Prerequisite for showing the image on MMT radio:
- MAN Media Truck Advanced radio 12 V with seven-inch display.
 - MAN camera view preparation for rear-view camera and camera 2

Fitting by a MAN service outlet is recommended.

- Further information**
- The MAN Genuine side camera system is not subsidised as a turning assistant (in accordance with the BMVI guidelines) and for this reason neither a general operating permit nor an expertise is available. You can find a detailed list of the parts required for assembly in your MAN service outlet.

Item number	Designation	Suitable for
81.27604-6003	Retrofit set with external monitor	TGL and TGM from Euro 6 to MY 2019,
81.27604-6002	Retrofit set with display on MMT	All TGS and TGX models up to MY 2019



DRIVER ASSISTANCE SYSTEMS

Retrofit RIO Box/MAN Genuine telematics on-board module 3 (for vehicles up to MY 2019)

The third-generation MAN Genuine on-board telematics module (known as the RIO box) is the hardware installed in the vehicle for using digital services (MAN DigitalServices / RIO services). Thanks to the FMS (fleet management interface), the RIO Box is also suitable for older MAN models and vehicles from other truck manufacturers for managing a complete fleet of vehicles via a single logistics platform.

The RIO Box provides access to the RIO platform from which individual services from MAN, RIO and third parties can be booked.



It also handles the transmission (= mobile phone data modem and firewall) of a wide range of data, which is processed into profitable services on the RIO platform.

The RIO Box is ideal for customers who want to manage individual vehicles or a complete fleet (MAN and third-party vehicles) via a single platform with numerous online services.

The customer can book various services via the MAN Marketplace / RIO Marketplace, such as the free MAN Essentials / RIO Essentials service, which provides the customer with basic fleet administration and deployment analysis, and MAN ServiceCare (also a free service), which offers proactive maintenance management by the MAN service outlet and thus reduces the administrative burden for the customer. Available updates for module software/installed services or newly booked services are automatically downloaded and installed.

Properties

Single-DIN slot format
Computing power designed for data transmission of future telematics and logistics functions
Internal memory 1 GB RAM
Permanent memory 8 GB flash memory
Data transfer rate: As of 08/2017: UMTS (up to 42 Mbit/s)
As of 05/2018: LTE (up to 150 Mbit/s)
Three separate partitions, each with its own operating system (Linux and Automotive Realtime System), for particularly high system stability and security
Supports FMS from version 1.0 and is therefore multi-brand capable.

Further information

You can find a detailed list of supported vehicles and requirements for retrofitting in the retrofit instructions under MAN Service documentation in the ► [MAN After Sales Portal](#).

Item number	Designation	Suitable for
	Retrofit RIO Box / MAN Genuine telematics on-board module 3	TGL and TGM from Euro 6 to MY 2019; TGS from Euro 5 to MY 2019; All TGX models up to MY 2019; TGE on request; External brands with fleet management interface (from version 1.0)


DRIVER ASSISTANCE SYSTEMS

Retrofit function "Preventive initiation of diesel particulate filter (DPF) regeneration with stationary vehicle"

For special applications, such as the rental of vehicles with skylifters, there is the option of initiating DPF regeneration, even if this is not yet required.

This prevents regeneration becoming necessary for the rented vehicle.

Retrofitting the function allows preventive regeneration of the DPF to be carried out before the message "Regenerate DPF when vehicle is stationary" is shown on the display.



Further information


Frequent use of this function will cause increased fuel consumption.

Item number	Designation	Suitable for
	Retrofit "Preventive initiation diesel particulate filter (DPF) regeneration with stationary vehicle"	TGL, TGM Euro 6 models up to MY 2019

Retrofitting the "rock-free" function

Makes it easier to move off again after getting stuck, for example on snow-covered roads or on construction sites.

After having been activated manually, the rock-free function ensures that the clutch of the automated shift system disengages very quickly once the accelerator is no longer operated. When the accelerator is pressed again, the clutch engages. The system also selects a suitable gear to reduce the torque to the drive wheels and thus avoid wheel spin. In this way, the vehicle can be "rocked free".



Item number	Designation	Suitable for
	Retrofitting the "rock-free" function	TGS and TGX Euro 6 models up to MY 2019 with TipMatic 12TX and 12 + 2

DRIVER ASSISTANCE SYSTEMS

MAN EfficientCruise® retrofit kit



The GPS-based cruise control recognises uphill and downhill gradients on the upcoming route using stored map material and then continually adjusts the vehicle's speed to the given conditions along the route. The system reduces the strain on the driver, is easy to use and makes for a harmonious driving experience while ensuring the highest degree of driving comfort.

The retrofit packages also offer security in the form of a short amortisation period.

Target group: Customers (especially second vehicle owners) who are active in long-haul transport with a high proportion of long-distance routes on motorways (in EU and neighbouring countries).

Note:

- Vehicle prerequisite:
- The driver sets a desired speed of at least 60 km/h for cruise control or adaptive cruise control (ACC).
 - The vehicle has GPS reception.
 - The current on-board telematics module (TBM2) map material covers almost the entire European road network.
 - The topographical data for the relevant roads is stored in the map material.

Item number	Designation	Suitable for
	MAN EfficientCruise® retrofit kit	TGS and TGX from MY 02/2015 to MY 2019 (For details, see the retrofit instructions in the ► MAN After Sales Portal)

DRIVER ASSISTANCE SYSTEMS

Retrofit AttentionGuard

The MAN AttentionGuard is an attention assistant based on the principle of the Lane Guard System (LGS). It detects signs of reduced alertness of the driver at an early stage, and tells the driver to be more alert when driving using visual as well as acoustic signals.

How it functions

- At speeds of 60 km/h and above, the system continuously evaluates various driving parameters (straying out of lane, steering behaviour, etc.) and draws conclusions about the driver's fitness for driving based on a defined evaluation algorithm.
- A warning is issued ten seconds after the last of five detected lane violations, at a maximum interval of three minutes in each case.
Visual: A message appears on the display for eight seconds.
Acoustic: A warning tone sounds over the loudspeakers at the driver's workplace.
- If the interval between two instances of straying out of lane is more than three minutes and after a warning has been issued, the counter is reset to zero.



As with the Lane Guard System (LGS), the function is guaranteed even when the vehicle is driven at night.

This reduces the probability of accidents due to reduced attention on the part of the driver. Active safety on monotonous sections of road is also increased, because one typical cause of accidents – unintentional departure from the lane – is prevented.

Note:

- Vehicle prerequisite:
- The vehicle must be equipped with the Lane Guard System (LGS).
 - The system does not function if lane markings are missing/not detected.

Item number	Designation	Suitable for
81.25890-7985	MAN Genuine Software®	TGS and TGX: <ul style="list-style-type: none">■ Euro 6 from MY February 2017 to MY 2019■ With LGS4 (function parameter set: 81.25890-3853 Configuration of Lane Guard System via PTM (Power Train Manager) and MFC (multi-functional camera))■ PTM Step 6 or successor step installed



TGE



Accessories for the van

From cargo securing to "Fire Lion" as a design element – here you will find a large range of MAN Genuine Accessories for the new TGE.



TGE

Trailer fixture

Expand the transport options of your MAN TGE with the MAN Genuine trailer fixture. Particularly practical: it can be unscrewed quickly and simply. If the EC type-approval numbers and trailer loads have already been entered in the registration documents, no separate approval is required for retrofitting such a trailer fixture.

Item number	Designation	Suitable for
65.42020-0001	Trailer coupling ball head (panel, combi, single tyres)	Not with: PR-QT4
65.42020-0002	Trailer coupling ball head (panel, combi, twin tyres)	Not with: PR-QT4
65.42020-0003	Trailer coupling ball head (platform body, single tyres)	
65.42020-0004	Trailer coupling ball head (platform body, twin tyres)	

Note:
In addition, the appropriate MAN Genuine electrical installation kit for trailer couplings is required.



Step for trailer fixture

The MAN Genuine step on the right can be used on all panel and combi van vehicles. It is attached to the trailer fixture and facilitates entry to the cargo space.

Note Only in combination with: Trailer fixture

Item number	Designation
65.42902-0007	Step for trailer coupling

Note If one of the following PR codes is configured, the ODIS measure code 7014A (65.25890-7014; step on the right of the rear – retrofit) is also required:

PR Code	Designation
7X2	Parking distance control at front and rear
8A8	Trailer assist system with parking distance control at front and rear
9X0	Parking distance control at front and rear with active side protection
9X1	Parking assist system with active side protection and parking distance control front and rear
9X2	Trailer assist system and parking distance control at front and rear with active side protection
9X3	Trailer assist system with parking assist, active side protection and parking distance control at front and rear

TGE

Door wind deflector

Door wind deflectors for the front side vehicle doors enable optimal ventilation of the vehicle interior and add to your driving comfort. They improve the interior climate and make it possible to enjoy circulating fresh air, even when it is raining or snowing. In strong sunlight, they prevent the unpleasant accumulation of heat in the vehicle interior when the windows remain open up to just above the lower edge of the wind deflector. (1 set = 2 units)



Note:
Please note: product has no approval for Switzerland!

Item number	Designation
65.62610-6000	Door wind deflector

Roof support



Note:
The basis for safe transport is the basic carrier, which can be fitted with additional attachments.

Item number	Designation
65.66980-6000	Basic carrier, set of three units Tested in accordance with strict specifications, the basic carrier is the ideal basis for roof structures such as ladder holders and high brackets. This means that you can transport even long objects safely on the roof. The basic carrier is perfectly matched to the vehicle, lockable and thus securely protected against theft. Delivery includes torque wrench. Scope of delivery: three units
65.66980-0000	Basic carrier, extension kit The extension kit for the basic carrier allows an additional transport level to be created on the roofs of long vehicles. Tested in accordance with strict specifications, the basic carrier is the ideal basis for roof structures such as ladder holders and high brackets. This means that even long objects can be safely transported on the roof. The basic carrier is perfectly matched to the vehicle, lockable and thus securely protected against theft. Delivery includes torque wrench. Scope of delivery: One unit

TGE

"Fire Lion" decorative film

The MAN Genuine decorative film "Fire Lion" in silver is also available for our MAN TGE. A real visual enhancement for your van with a design that will draw attention to your vehicle (one set = left + right). This decorative film can only be used for the panel van with short wheelbase (standard).

Decorative films may start to show signs of wear and ageing, particularly if exposed to direct sunlight (after one to three years, or even within a year in very hot climate zones). If the decorative film remains on the vehicle for an extended period of time, there may be visual differences between the painted area covered by the decorative film and the area not protected by film.



Item number	Designation
U1.97812-6003	Decorative film set "Fire Lion TGE" left/right

TGE

Electrical installation kit (E-kit) for trailer fixtures

The MAN Genuine electrical installation kit (13-pin) for trailer fixtures ensures the electrical supply, thus enabling the safe operation of a trailer. Additional coding by means of a software package is necessary. Below mentioned retrofits for vehicles without preparation can only be used for vehicles built until week 33/2020.



Illustration shows 65.25432-6002

E-kit, 13-pin, vehicles with preparation

Properties
Number of pins: 13
Technical features: Also in combination with parking distance control (PDC)
Supports trailer stabilisation
For vehicles with trailer coupling preparation (1D7) ex works
Marketability: Not for the United States of America
Note: With rear fog light switched off

Item number	Designation
65.25432-6001	E-kit, 13-pin, vehicles with preparation Due to the preparation, the standard control unit is used. This means that the E-set is integrated into the CAN bus of the vehicle and supports, among other things, trailer stabilisation. The Genuine electric installation kit is suitable for both right-hand-drive and left-hand-drive vehicles. The restrictions listed in the CoC/registration document must be taken into consideration. Cannot be used on the eTGE.

Caution	Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).
----------------	--

TGE

Electrical installation kit (E-kit) for trailer fixtures

2

E-kit, 13-pin, vehicles without preparation, short wheelbase

Properties
Number of pins: 13
Technical features: Also in combination with parking distance control (PDC)
Supports trailer stabilisation
For vehicles with 12-way fuse carrier under left seat box, short wheelbase
Marketability: Not for the United States of America
Note: Part number valid for vehicles built until week 33/2020 With rear fog light switched off

Item number	Designation
65.25432-6002	E-kit, 13-pin, vehicles without preparation, short wheelbase The use of the Genuine control unit ensures full integration into the CAN. This means that safety-related driver assistance systems, such as trailer stabilisation, are supported, thus ensuring the safe towing of trailers. Suitable for both right-hand-drive and left-hand-drive vehicles without preparation with short wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. Cannot be used on the eTGE.

Caution Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).



3

E-kit, 13-pin, vehicles without preparation, long wheelbase

properties
Number of pins: 13
Technical features: Also in combination with parking distance control (PDC)
Supports trailer stabilisation
For vehicles with 12-way fuse carrier under left seat box, long wheelbase
Marketability: Not for the United States of America
Note: Part number valid for vehicles built until week 33/2020 With rear fog light switched off

Item number	Designation
65.25432-6003	E-kit, 13-pin, vehicles without preparation, long wheelbase The fitted Group control unit is integrated into the CAN bus of the vehicle and supports, among other things, trailer stabilisation. The MAN Genuine electrical installation kit is suitable for both right-hand-drive and left-hand-drive vehicles without preparation ex works with long wheelbase. The restrictions listed in the CoC/registration document must be taken into consideration. Cannot be used on the eTGE.

Caution Observe the restrictions and conditions of Volkswagen AG (e.g. car sales program).

TGE

Electrical installation kit (E-kit) for trailer fixtures

4

Expansion kit for the electrical installation kit

Properties
Vehicle: LHD, RHD
Only for vehicles without 12-way fuse carrier under left seat box
Scope of delivery: Assembly material and assembly instructions

Item number	Designation
65.25432-6000	Expansion kit for the electrical installation kit for vehicles without trailer preparation and without fuse box under driver's seat ex works Cable connection incl. 12-pin fuse box, 60 A fuse incl. fuse carrier, fastening parts and installation instructions. Suitable for both left-hand-drive and right-hand-drive vehicles The restrictions listed in the CoC/registration document must be taken into consideration. Cannot be used on the eTGE.

Note Please also take the following table into consideration. The required combinations of electrical installation kit and measure code are shown here again corresponding to the vehicle configuration:

PR code	Required E-kit Item number	Designation	Required measure code Item number	Designation
With preparation (1D7)	65.25432-6001	E-kit, 13-pin, vehicles with preparation	65.25890-7001	Trailer coupling (rigid), commissioning of works preparation measure code: 7001B
Without preparation, short wheelbase (1D0)	65.25432-6002	E-kit, 13-pin, vehicles without preparation, short wheelbase	65.25890-7003	Trailer coupling (rigid) retrofitting ODIS measure code: 70033
Without preparation, long wheelbase (1D0)	65.25432-6003	E-kit, 13-pin, vehicles without preparation, long wheelbase	65.25890-7003	Trailer coupling (rigid) retrofitting ODIS measure code: 70033

Floor mats

MAN Genuine all-weather mats protect your vehicle from moisture and dirt. They are made to fit perfectly, are non-slip and can be cleaned easily. Furthermore, the floor mats are 100 % recyclable, very robust and durable. The material makes the all-weather mats significantly lighter than conventional floor mats. One set consists of three mats to protect the front footwell and centre tunnel.



Item number	Designation
U1.97812-6003	All-weather mats, front, LHD
U1.97812-6003	All-weather mats, front, RHD
U1.97812-6003	All-weather mats, rear, crew cab

TGE

Interior roof rack



Image shows 65.66980-6001

The interior roof rack allows you to use your cargo space even more efficiently and, for example, secure ladders or pipes under the ceiling. The product can be simply and easily fitted in the vehicle. Where ceiling rails are already present installation is possible without tools (-6001). There is also a kit for fitting in vehicles without ceiling rails (-6002). Transport can be made even safer with the optional head lashing. This prevents the load from slipping forwards or backwards, even in extreme situations.

Item number	Designation
65.66980-6001	TransSAFE carrier for vehicles with roof rails
65.66980-6002	TransSAFE Carrier installation kit for vehicles without roof rail
65.66961-0003	TransSAFE carrier head lashing

Box body for securing the load

Protection for vehicle occupants, load and other road users! The specially tailored hard-shell box in silver-grey contains ratchets, fixing straps, edge protector tubes and non-slip mats. It comes with a brochure of practical examples for the corresponding models. The load distribution plan makes it easy to determine the load's centre of gravity before each journey, enabling the load to be secured in accordance with legal requirements. This means that the load is reliably secured even during full braking and avoidance manoeuvres.



Item number	Designation
65.96800-6000	Box for securing the load
65.66970-0001	Wall bracket for load-securing box

TGE

Other transport safety devices

The load is also securely stored with system load securing nets and securing bars. For vehicles with airline rails, there are also lashing strap fittings and universal hooks for securing.

Item number	Designation
65.66961-0000	Prosafe system load securing net 1,400 x 1,025
65.66961-0001	Prosafe system load securing net 1,775 x 1,150
65.66961-0002	Prosafe system load securing net 2,275 x 1,650
65.66970-0000	Securing bar KIM 44, 1,250 – 2,100 mm
65.96807-6001	Universal hook for airline rail, set of four units



Mud flap



Image shows 65.66440-6002

Tough and durable: MAN Genuine mud flaps effectively protect the underbody, bumper, side skirts and doors against heavy soiling and hazardous stone damage. Spray water dispersion is also greatly reduced.

Item number	Designation
65.61210-6000	Mud flap, front
65.66440-6000	Set of mud flaps, rear, panel combi, front-wheel drive
65.66440-6001	Set of mud flaps, rear, panel, rear-wheel drive, twin tyres
65.66440-6002	Set of mud flaps, rear, panel combi, all-wheel drive and rear-wheel drive, single tyres
65.66440-6003	Mud flap, rear, platform body, single tyres
65.66440-6004	Mud flap, rear, platform body, twin tyres

Note

Please also take the following table into consideration. The item numbers are listed again here depending on the chassis and drive type:

Chassis	Item number	Front all drives	Rear drive (PR code)			
			Front (1X0) Item number	All-wheel drive (1x1) Item number	Rear Twin (1x2) item number	Rear Single (1x4) item number
Panel (K4A)	65.61210-6000		65.66440-6000	65.66440-6002	65.66440-6001	65.66440-6002
Combi (K4B)	65.61210-6000		65.66440-6000	65.66440-6002	–	65.66440-6002
Single cab (K4F)	65.61210-6000		65.66440-6003	65.66440-6003	65.66440-6004	65.66440-6003
Crew cab (K4G)	65.61210-6000		65.66440-6003	65.66440-6003	65.66440-6004	65.66440-6003

TGE

Tension belts

Tension belts enable the load to be fastened safely and securely.

Item number	Designation
65.96802-0002	Tension belt with ratchet buckle



Painted ladder carrier at front incl. front wall protective guard

For transport of ladders or other long items (timber, pipes etc.), an optional painted ladder carrier can be installed on the platform loading surface, which also offers front wall protection.

Item number	Designation
65.65615-6000	Assembly, front wall attachment for ladder transport
65.65615-6001	Assembly, platform gate support



Runner as a roof loading aid

For transport of ladders or other long items (timber, pipes etc.), an optional painted ladder carrier can be installed on the platform loading surface, which also offers front wall protection.

Item number	Designation
65.66961-0000	Prosafe system load securing net 1,400 x 1,025



TGE

Ladder holder

No slipping, no wobbling: the ladder holder with angle brackets is the perfect retaining device for transporting ladders. For transporting two simple ladders or one folding, trestle or sliding ladder. Only in combination with the square carrier or the luggage rack.

Item number	Designation
65.66905-0000	Ladder holder



Set of angle brackets

The set of angle brackets is ideally suited for safely and securely transporting long objects. The high brackets can be used to securely clamp wooden boards to the roof bars or the luggage rack, for example.

Item number	Designation
65.66970-6000	Set of angle brackets



MAN Truck & Bus SE

Dachauer Strasse 667
80995 München, Germany
www.mantruckandbus.com

E-mail: accessories@man.eu

Last updated 01/2021 Texts and illustrations non-binding.
We reserve the right to make modifications as technology advances.
All information in this publication is correct at the time of printing.